



**TOWN OF MOUNT GILEAD
BOARD OF COMMISSIONERS
AGENDA**

110 West Allenton Street, Mount Gilead, North Carolina, 27306

April 7, 2026

The Mount Gilead Board of Commissioners will meet on Tuesday, April 7, 2026 at 7:00 p.m. at the Mount Gilead Fire Department, 106 East Allenton St, Mt Gilead, NC 27306, for the regular monthly business meeting.

ITEM I. CALL TO ORDER (Mayor Morley)
MOMENT OF SILENCE
PLEDGE OF ALLEGIANCE

ITEM II. CONSENT AGENDA
A. Adoption of the Agenda
B. Staff Reports **PG 11-111**

ITEM III. PUBLIC COMMENT (Lessie Jackson, Town Clerk)

Speakers must use the podium and sign in with contact information including their address. Audience interaction or debate is discourage. The Mayor and Board do not respond during this session. Each speaker has 3 minutes; a spokesperson for groups of 5 or more has 5 minutes. Town staff will record comments and follow up as needed. Inflammatory or irrelevant remarks are not permitted. Written comments may be submitted to the Town Clerk by email at clerk@mtgileadnc.com or by mail to PO Box 325, Mt. Gilead, NC 27306

ITEM IV. NEW BUSINESS
A. Adoption of the Board of Commissioner Meeting Minutes from the March 3 Regular Session. **PG 2-7 (Action)**
B. Adoption of the Budget Retreat Meeting Minutes from the March 14 Regular Session. **PG 8-9 (Action)**
C. Audit Contract
D. Audit Report **(Deneal Bennett)**

ITEM V. COMMITTEE REPORTS
A. Community Garden **(Mary Poplin)**
B. Park and Recs **(Jennifer Haywood)**
C. Merchants Association
D. Concerned Citizen

ITEM VI. MANAGER REPORT PG 10-11 (Barrett Brown)
ITEM VII. MAYOR AND COMMISSIONERS COMMENTS (Information)

ITEM VIII. CLOSED SESSION pursuant to NC GS 143-33c to discuss Personnel

ITEM IX. ADJOURNMENT (Action)

**TOWN OF MOUNT GILEAD BOARD OF COMMISSIONERS
MEETING MINUTES
110 West Allenton Street, Mount Gilead, North Carolina, 27306**



March 3, 2026

The Mount Gilead Board of Commissioners will met on Tuesday, March 3, 2026 at 7:00 p.m. at the Mount Gilead Fire Department, 106 East Allenton St, Mt Gilead, NC 27306, for the regular monthly business meeting. Mayor Sheldon P. Morley, Mayor Pro-Tem Tim McAuley, Commissioner Paula Covington, Commissioner Mary Lucas, Commissioner Vera Richardson, Town Manager Barrett Brown, Police Chief Talmadge LeGrand, Public Works Director James “Wahoo” McCormick, Fire Chief Keith Byrd, Administration Assistant Allena Ingram, and Lessie D. Jackson Town Clerk.

1. Call to Order & Opening

- *Mayor Morley call the meeting to order at 7:00 p.m. with a moment of silence and the Pledge of Allegiance.*
- Noted: Auditor unable to attend due to family matter → **deferred to next meeting.**

2. Approval of Consent Agenda

- Commissioner Richardson made motion to approve the consent agenda. Commissioner Covington seconded.
- **Vote:** Approved unanimously.

3. Public Hearing – Ordinance Updates-John Ganes

Topic: Updates to town ordinances to align with NC General Statutes (160A, 160D).

Staff Presentation (Code Enforcement Officer)

- Ordinances reviewed and found outdated (some **10–20+ years old**).
- Key updates include:

- **Junk Vehicle Ordinance**
 - Updated definitions.
 - Clarified enforcement authority.
 - Allows civil penalties and towing (last resort).
- **Public Nuisance Ordinance**
 - Previously limited to grass/weeds (since 2006).
 - Expanded to include:
 - Trash/debris
 - Outdoor furniture
 - Burned/dilapidated structures
 - Clarified vegetation standards (e.g., 12 inches).
- **Housing Code**
 - Updated from 2004 standards.
 - Revised to comply with **NC 160D statutes**.
- **Non-Residential Code**
 - Previously lacked clear standards.
 - Now defines enforcement procedures and expectations.
- Goal:
 - Align with state law
 - Provide **clear, enforceable standards**
 - Reduce subjective interpretation

4. Public Comments (Hearing)

Curtis Speakman, Jr. /Curtis Speakman, Sr.-202 E. Allenton St.

- Concern: **Unequal enforcement** of ordinances.
- Examples:
 - Town-owned properties (solar plant, equipment areas) not compliant.
 - Open storage and junk vehicles on town property.
 - Inconsistent fence requirements.
- Additional concerns:
 - Neglected historic buildings.
 - Infrastructure maintenance (sewer lines, vegetation).

Melanie St. Germain-435 W. Allenton St.

- Supports stronger enforcement of nuisance codes.
- Concern about **community appearance and pride**.
- Highlighted **derelict property (500 W. Allenton St.)**:
 - Abandoned, deteriorated, asbestos present.
 - Emphasized:

- Proper asbestos removal required.
 - Environmental and public safety risks (near bus stop and wildlife area).
-

Bruce Genth-205 N. Scarborough St.

- Concern: **Animal ordinance confusion**
 - Not clearly addressed in hearing materials.
 - Questions:
 - Regulations on livestock (e.g., chickens).
 - Enforcement of fencing requirements.
 - Definition of “abandoned vehicles.”
 - Suggested:
 - Limits on visible vehicle storage.
 - Privacy fence requirements for multiple vehicles.
-

5. Board Discussion (Hearing)

- General agreement:
 - Ordinances bring town **up to state standards**.
 - Need for **clear, consistent enforcement**.

Key Discussion Points:

- **Demolition Process (500 W. Allenton St.)**
 - Requires:
 - Asbestos abatement (licensed contractor)
 - Proper disposal
 - Demolition
 - Costs:
 - Initially paid by town
 - Recovered via **lien on property**
 - Concerns raised:
 - Taxpayer burden for demolition.
 - County foreclosure process delays.
 - Clarification:
 - **Animal ordinance not being updated** at this time.
-

6. Close Public Hearing

- Commissioner Richardson made motion to close public hearing. Commissioner Covington seconded.
 - **Vote:** Approved.
-

7. Public Comment Period

The Town Clerk Lessie D. Jackson reviewed public comment procedures in accordance with North Carolina Open Meetings Law.

Curtis Stephen Jr.-202 East Allenton St.

- Concern about:
 - Overgrown areas near creek.
 - Fields attracting pests (mice, snakes).
-

Melanie St. Germaine-435 W. Allenton St.

- Focus: **Impact of derelict properties**
 - Lower property values
 - Reduced investment
 - Safety concerns
 - Emphasized redevelopment opportunities.
-

8. New Business

A. Approval of Previous Meeting Minutes

- Motion made by Commissioner Richardson and seconded by Mayor Pro Tem McAuley.
 - **Vote:** Approved.
-

B. Audit Contract

- **Deferred** (auditor absent).
-

C. Ordinance Changes

- Board expressed concerns about wording.
 - Motion made by Commissioner Lucas to **table ordinance updates until next meeting** and seconded by Mayor Pro Tem Mcauley.
 - **Vote:** Approved.
-

D. Demolition Order (500 W. Allenton St.)

- Not on agenda → **deferred to next meeting.**
-

9. Committee Reports

Community Garden (Mary Poplin)

- Winter damage:
 - Broken spigot and plumbing issues.
 - Repairs planned:
 - Irrigation lines
 - Fixtures
 - Request:
 - Town assistance replacing spigot.
 - Accepting donations for upcoming season.
-

10. Manager's Report (Barrett Brown)

- Exploring installation of:
 - **LED sign** for Town Hall (message board).
 - Timeline:
 - Building work ~3 weeks
 - Sign installation may take longer.
-

11. Mayor's Report (Sheldon P. Morley)

- Formalizing process for:
 - **Ribbon cuttings**
 - Business announcements
- Requirements:
 - Prefer **30 days' notice** (minimum 1 week)

- Requests must be in writing
-

12. Commissioner Reports

Dr. Richardson

- Black History Program: **Successful**
 - Upcoming:
 - **Bake Sale – March 28**
-

Mayor Pro Tem

- Upcoming events:
 - **April 18:** Community sidewalk sale
 - **June 12:** Outdoor movie night
 - **August:** End-of-summer bash
-

13. Adjournment

- Motion made by Commissioner Richardson and seconded by Commissioner Covington.
 - **Vote:** Approved.
 - Meeting adjourned at 8:05 p.m.
-

Sheldon P. Morley, Mayor

Lessie D. Jackson, Town Clerk



Town of Mount Gilead, NC

FY2026-27 Budget Retreat Minutes

March 14, 2025

110 W. Allenton Street

ATTENDEES

Mayor Sheldon Poplin-Morley, Mayor Pro Tem Tim McAuley, Commissioner Paula Covington, Commissioner Mary Lucas, Commissioner Vera Richardson Barrett Brown (Town Manager), LeeAnn Haithcock (Finance Officer), Lessie D. Jackson (Town Clerk), Keith Byrd (Fire Chief), Talmedge LeGrand (Chief of Police), and James “Wahoo” McCormick (Public Works Director)

I. CALL TO ORDER & AGENDA APPROVAL

Mayor Poplin-Morley called the meeting to order.

A motion was made by Mayor Poplin-Morley to adopt the Budget Retreat agenda. The motion was approved by the Board.

II. PURPOSE OF MEETING

Town Manager Brown opened the discussion outlining the purpose of the retreat, including reviewing departmental priorities and developing the FY 2026–2027 budget.

Mr. Brown emphasized adopting a balanced budget by June 30.

III. BUDGET SCHEDULE DISCUSSION

Town Clerk Jackson reviewed the timeline. Chief Byrd suggested dates, and the Board set April 17 at 6:00 PM.

Mr. Brown emphasized timely completion.

IV. DEPARTMENTAL REPORTS & DISCUSSION

Public Works: Equipment needs and staffing concerns discussed by Mr. McCormick.

Police: Chief LeGrand discussed vehicle replacement, staffing, and generator.

Fire: Chief Byrd discussed equipment needs and fire tax considerations.

Water/Wastewater: Infrastructure needs including UV system and slurry machine.

Parks: Mr. Brown proposed a Parks Director and separation from Public Works.

V. ORGANIZATIONAL & OPERATIONAL DISCUSSION

Discussion included staffing accountability, facility needs, economic development, and communication improvements.

VI. BOARD PRIORITIES & DIRECTION

Board emphasized completing projects, cautious hiring, beautification, public safety, and increasing fund balance.

VII. ACTION ITEMS

Develop budget draft, obtain cost estimates, analyze fire department options, and improve communication systems.

VIII. ADJOURNMENT

A motion was made and approved to adjourn the meeting.

Town Manager Report

Board of Commissioners Meeting – April 2026

1. **Budget Retreat:** an annual meeting where the Board of Commissioners discusses and analyzes the proposed budget for the fiscal year. At the next meeting the proposed budget for 2026-2027 will be presented to the board and public for inspection. The next **Budget Retreat** is scheduled for **Friday April 17th at 6:00pm at the Fire Station.**

2. **Pump Repair:** \$24,163.28 due to lift pump burnt out and pump motor out at lift station #5. Pump station #1 did the same thing and Pump station #4 has been replaced as well

3. **Piedmont Triad Regional Managers Meeting:** in Kernersville 3/19/26 Topic: Budget projections and trends. a) Montgomery County Personal Income comes 51% from labor, 18% transfer receipts 28% property b) the median housing cost is \$200,000.00 in Montgomery County. c) Anytime a household spends 30% of their income towards rent it is called “housing burden”. The legislature’s proposal to eliminate property tax means that municipalities may need to use a fee for services-based models to generate income.

4. **811 has listed Mount Gilead as a utility:** Public Works now receives notices of locations to mark.

5. **New Town Hall:** Scheduled to move into the new town hall the first week of July with an Open House following immediately after, date and time to be announced.

6. **Meeting with Max Garner to discuss information requests.** He suggested that with a staff of our size the responsibility to comply with the requirement to complete in a reasonable amount of time could be 7-10 business days, or 90-120 days depending on the size of the information request and because it diverts resources away from regular business that a charge of .25 per page be charged for information requested.

7. **2023 Sanitary Sewer Improvements** – Project Summary School Street, Ingram and Sunrise section is nearing completion to 90%. Lift station #6 is about complete with electrical to be completed. Completion and testing should be completed by the end of February. The road will be milled and overlaid when the asphalt plant resumes work. Based On wet rehab funds there will be enough to make improvements to the lift station #6

8. Albert Johnson “Pocket” Park

Architects have asked the town to postpone March meeting with the Community and Civitans until April for a progress meeting.

9. Community Resources & Engagement

This month included several engagement and assessment activities:

- A) attended grand openings for Gator Bridge and the Laundry Mat
 - B) attended Parks and Rec Committee Meeting
 - C) attended Chi Sigma Fashion Show
 - D) attended Redevelopment Corporation Meeting
 - E) Staff Meeting
 - F) Budget Retreat
 - G) Completed a Request to Close Street Event form
-

10. The Retreat at Lake Tillery

They are adding a turn lane at the entrance and have marked trees near the signs form Emerald Shores strictly for identification purposes. Much of the work in phase 1 has been in grading the land, sewer infrastructure and tying in Lift Station 6 to the wet well. There will be 5 entrances to the development, and the commercial part of the development will include a proposed pharmacy, medical complex, market and dining. The total scope is about 500 acres, and they are proposing that the first house will be ready to sell in late 2027. The house may start selling at \$6 to \$7 million.



TOWN OF MOUNT GILEAD WWTP

Everything is normal.

Basin #1 has cleared up and functioning normal.

Lawn mower has been taken in for service and returned.

Toxicity was performed on March 3rd and the 5th and waiting on results.

Low level mercury tests will be done later this month.

MARCH

1. Daily work orders
2. Weekly liftstation check
3. Weekly leave pickup
4. Weekly sewer plant work
5. Monthly sewer plant cleaning
6. Monthly water reports to DEQ
7. Monthly samples report to DWQ
8. Monthly set up for Board meeting
9. Yearly sewer report
10. Delivered lime to sewer plant
11. Cleaned up cemetery
12. Cleaned up 109 (trash pickup)
13. Cleaned up Washington Park (trash pickup)
14. Cleaned up Northview (trash pickup)
15. Cleaned up East Allenton (trash pickup)
16. Cleaned up Marshel (trash pickup)
17. Cleaned up East and West Haywood (trash pickup)
18. Cleaned up School St. (trash pickup)
19. Cleaned up North Main St. (trash pickup)
20. Fixed two leaks on Cycle Dr.
21. Cleaned out driveway pipe on Pleasantville
22. Pulled weeds and grass in all flower beds
23. Put pine strew at library and trimmed trees and bushes
24. Put pine strew at public parking lot and trimmed bushes
25. Repaired heater at Liftstation 10, and 11
26. Water and Sewer tap on Cedar St.
27. Replaced restrooms at new Town Hall
28. Cleaned up around old boy scout hut for ins.
29. Replaced meter at 122 Price Lane
30. Mowed and drag ballfields
31. Mowed Library, Police Department, Fire Department, New Town Hall

**WATER USAGE REPORT (Purchased Sources)
MONTHLY OPERATING REPORT**

Month: FEBRUARY

Year : 2026

NAME OF PUBLIC WATER SYSTEM : TOWN OF MOUNT GILEAD

PWS ID# : NC NC0362015 COUNTY NAME: MONTGOMERY

DATE	SOURCE WSF ID: _____			SOURCE WSF ID: _____			SOURCE WSF ID: _____			SOURCE WSF ID: _____		
	TIME	METER READING	SOURCE WATER PUMPED SINCE LAST READING	TIME	METER READING	SOURCE WATER PUMPED SINCE LAST READING	TIME	METER READING	SOURCE WATER PUMPED SINCE LAST READING	TIME	METER READING	SOURCE WATER PUMPED SINCE LAST READING
	(00:00)	(gallons)	(gallons)	(00:00)	(gallons)	(gallons)	(00:00)	(gallons)	(gallons)	(00:00)	(gallons)	(gallons)
(1)	(2)	(3)	(4)	(2)	(3)	(4)	(2)	(3)	(4)	(2)	(3)	(4)
1		503613	2490000		624754.00	0.00		121054.00	3468.00		45589.00	1155.00
2												
3												
4												
5												
6												
7												
8												
9												
10												
11												
12												
13												
14												
15												
16												
17												
18												
19												
20												
21												
22												
23												
24												
25												
26												
27												
28												
29												
30												
31												

TOTAL MONTHLY WATER PURCHASED: 2,952,300 (MG)

COMMENTS: _____

ORC Name: SAMMY STEWART
(Please Print)

ORC Signature: _____

ORC's Telephone Number: 910-975-9764
(Daytime Number)

Certification: B-DISTRIBUTION
DENR 3398 (10/2010)

Cert. Number: 208

Date: _____

Purpose: To report water used from purchased sources (i.e., water purchased from another Public Water System and used without supplemental treatment, such as booster chlorination).

Preparation: When applicable, this report shall be completed each month, signed by the operator in responsible charge (ORC) and submitted to the Public Water Supply Section by the tenth (10th) day of the following month.

Distribution: One copy must be sent to the appropriate regional office (see below).
One copy must be filed at the water system office as a permanent record.

Instructions for Completing the Form:

Column (1) The date of the month is provided.

Column (2) Record the time when the purchased source meter is read. For consistency use military time (ex. 17:30 for 5:30 PM)

Column (3) For each source WSF ID record the meter reading in gallons. The WSF ID(s) for your water system can be secured from Drinking Water Watch on the Public Water Supply Section website <http://www.ncwater.org/pws/index.htm> . Click on "Water System Data" then click on "Drinking Water Watch."

Column (4) For each source WSF ID record the water pumped (gallons) since last meter reading. In the event a source does not have a functional meter, the daily quantity of total source water pumped shall be estimated as accurately as possible. Estimates should be determined on the basis of pumping rate and time pumped for all sources or by the best means available, until a suitable meter(s) is installed.

Total Monthly Water Purchased: It is understood that the frequency of Operator oversight and meter readings is periodic. Therefore, the total monthly water purchased value may be an operator estimate based on periodic meter readings during oversight visits.

Operator in Responsible Charge (ORC): The (ORC) must print and sign his/her name and indicate the date the report was reviewed and certified. Applicable certification and number held by the ORC must be indicated. Also, the operator must include their daytime phone number in the indicated space.

Copies of this form may be obtained via the Public Water Supply Section web site at <http://www.ncwater.org/pws/index.htm> or from the following Public Water Supply Section locations:

Public Water Supply Section Regional Offices:

Asheville	828-296-4500
Fayetteville	910-433-3300
Mooreville	704-663-1699
Raleigh	919-791-4200
Washington	252-946-6481
Wilmington	910-796-7215
Winston-Salem	336-771-5000

2090 U.S. Highway 70, Swannanoa, NC 28778
225 Green Street, Suite 714, Fayetteville, NC 28301
610 East Center Avenue, Suite 301, Mooresville, NC 28115
3800 Barrett Drive, Raleigh, NC 27609
943 Washington Square Mall, Washington, NC 27889
127 Cardinal Drive Extension, Wilmington, NC 28405-3845
585 Waughtown Street, Winston-Salem, NC 27107-2241

Purpose: To report results of distribution facility monitoring for a system with ground water or purchased water sources disinfected with chlorine.

Preparation: This report shall be completed each month, signed by the operator in responsible charge (ORC) and submitted to the Public Water Supply Section by the tenth (10th) day of the following month.

Distribution: One copy must be sent to the appropriate regional office (see below).

One copy must be filed at the water system office as a permanent record.

Instructions for Completing the Form: At the top of the form in the appropriate spaces, fill in the month and year, public water system identification number (PWSID), name of the county in which the water system is located, name of the water system, distribution system classification [see 15A NCAC 18D .0205], number of service connections, ORC name, ORC signature and date form was completed, ORC certification, and ORC certificate number.

Column (1) The number of samples taken is shown in this column. Each row contains the results of one sample.

Column (2) Record the date of each sample taken.

Columns (3) & (4) Record the unique three-digit location code, as specified on the bacteriological sample siting plan, that identifies the site used for the sample collection in column (3). Record the sample site address in column (4).

Column (5) Record the residual disinfectant concentration measured at the MRT site or other location of high water age. The residual disinfectant concentration measured should be reported as free chlorine.

*Any unusual issues or problems should be reported in the "Comments" section and/or contact the appropriate Regional Office.

Copies of this form may be obtained via the Public Water Supply Section web site at <http://www.ncwater.org/pws/index.htm> or from the following Public Water Supply Section locations:

Asheville Regional Office	2090 U.S. Highway 70, Swannanoa, NC 28778	Phone: (828) 296-4500
Fayetteville Regional Office	225 Green Street, Suite 714, Fayetteville, NC 28301	Phone: (910) 433-3300
Mooreville Regional Office	610 East Center Avenue, Suite 301, Mooreville, NC 28115	Phone: (704) 663-1699
Raleigh Regional Office	3800 Barrett Drive, Raleigh, NC 27609	Phone: (919) 791-4200
Washington Regional Office	943 Washington Square Mall, Washington, NC 27889	Phone: (252) 946-6481
Wilmington Regional Office	127 Cardinal Drive Extension, Wilmington, NC 28405-3845	Phone: (910) 796-7215
Winston-Salem Regional Office	585 Waughtown Street, Winston-Salem, NC 27107-2241	Phone: (336) 771-5000

Town of Mount Gilead

Wastewater Annual Performance Report Calendar Year 2025

I. General Information

a. Facility Name:	Town of Mount Gilead Collection System and Wastewater Treatment Plant	
b. Responsible Entity:	Town of Mount Gilead	
c. Contact Persons:	Barrette Brown	910-439-5111
	Town Manager	743-220-0566
	James McCormick, Jr.,	910-439-5111
	Collection ORC	910-220-0636
	Sam Stewart, Collection	910-439-5111
	Back -up OR	910-220-0322
	William Nall, Maintenance,	910-439-5111
	Worker	336-683-3405
	Ryan Foerman, Maintenance,	910-439-5111
	Worker	910-220-1504
	Elyshah Little, Maintenance,	910-439-5111
	Worker	910-220-0051
	Michael Criscoe, WWTP ORC,	910-439-5111
		910-572-8942
	Jimmy Haithcock,	910-439-5111
	Back-up ORC	336-750-7766

I. Collection System Performance

a. Mount Gilead wastewater collection system consists of 100,800 LF of gravity sewer line ranging in size from 6" to 18" in diameter. The system has 563 – plus manholes which have been located and inspected and are repaired as needed. Also, there are four above ground lines, two that are gravity fed and two that are forced mains. The Town owns and maintains 11 ditch crossings and 11, 4 in. service ditch crossings as well.

b. The Town owns and operates fifteen sewage pump stations at the following locations:

1. 314 W. Allenton St. - Hwy 731 East
2. 170 Washington Park Rd.
3. 160 Lewis Rd.
4. 2085 Hwy 109 South
5. 3789 Hwy 73 South
6. 1851 Lilly Bridge Rd.

7. 2101 Lilly Bridge Rd.
8. 250 Plantation Way
9. 118 Birdie Dr.
10. 189 Holly Harbor Trail
11. 201 Holly Harbor Trail
12. 181 Deer Park Road
13. 119 Indian Harbor Circle
14. 112 Deer Park Road
15. 113 Lakeview Trail

c. Sanitary Sewer Overflows

A total of 0 gallons of sewage overflowed during 2025

d. Sewer Lines Cleaned:

- There was 9,142 ft (equal to 1.731 miles) of 4 in. to 18 in. line cleaned during the year of 2025.
- 4,700 gallons of water were used to clean these lines.

e. Total Rainfall: 43.60 inches (equal to 3.633 ft.) for 2025

f. Replaced Sewer Lines:

None

g. New Sewer Taps:

- 322 Stanback St.
- 128 Loblolly Dr.
- 320 Stanback St.

h. Lift Station Pumps Replaced:

Lift Station # 1

08/28/2025 replaced pump #1

Lift Station # 9

08/28/2025 replaced both pump #1 and #2

Lift Station # 11

01/21/2025 replaced pump # 2

02/14/2025 Replaced both pumps with new Keen pump system

Lift Station # 12

10/21/2025 Replaced both pumps with new Keen pump system

i. Lift Station Repairs:

A. Lift Station # 1 – 314 W. Allenton St - Hwy 731 East

B. Lift Station # 2 – 170 Washington Park Rd.

C. Lift Station # 3 – 160 Lewis Rd.

D. Lift Station # 4 – 2085 NC HWY 109 S

E. Lift Station # 5 – 3789 NC HWY 73 E.

F. Lift Station # 6 - 1851 Lilly's Bridge Rd.

G. Lift Station # 7 - 2101 Lilly's Bridge Rd.

4/30/25 replaced both pump starters

4/30/25 replaced phase monitor

4/30/25 repaired junction box

H. Lift Station # 8 - 250 Plantation Way

I. Lift Station # 9 - 118 Birdie Dr.

1/13/25 replaced mission system with m850

1/13/25 replaced surge protector

10/10/25 replaced both starters

Repaired alarm wiring

Replaced area light (POWER SURGE)

J. Lift Station # 10 – 189 Holly Harbor Tr.

K. Lift Station # 11 – 201 Holly Harbor Tr.

2/14/25 replaced pump starter system

2/14/25 replaced floats with fog rod

L. Lift Station # 12 – 181 Deer Park Rd.

10/21/25 replaced mission system with m850

replaced floats with fog rod

installed new hood cover

replaced control panel

M. Lift Station # 13 – 119 Indian Harbor Circle.

1/13/25 replaced surge protector

N. Lift Station # 14 – 112 Deer Park Rd.

P. Lift Station # 15 – 113 Lakeview Tr.

- j. Lift Station Floats Replaced:
 - A. Liftstation # 11 replaced floats with fog rod
 - B. Liftstation # 12 replaced floats with fog rod

- k. Above Ground Sewer Line Inspection

1-21-2025 James McCormick
7/19/2025 James McCormick

- l. Sewer Right-of-Way's cleaned

1. From MH 184H TO END
2. From MH 184C TO 184A
3. From MH 124 TO MH 125
4. From MH 125 TO MH 126
5. From MH 0137 TO END
6. From MH 106 TO MH 106B
7. From MH 100 TO MH 101
8. From MH 184H TO END

- m. Right-of-Way's Mowed

In 2025, all the Town's outfall sewer lines were mowed.

- n. The Town owns and maintains gravity lines and forced mains above crossings at the following locations:

1 – Located Between manhole # 29 and # 35 on Hydro Rd. - The line is a 15 in. concrete pipe above ground

#2 – Located off of Washington Park Rd. between manhole # 262 and # 238. - The line is 8 in. of DIP

3 – located on Lilly's Bridge Rd. at the bridge crossing - There is an 8 in. DIP forced main

4 – located on N. Main St. at the bridge crossing - There is a 6 in. DIP forced main

- o. Generator Maintenance:
- p. The Town has 11 ditch crossings at the following locations:
1. Between manholes # 10 and # 11
 2. Between manholes # 188 and # 189
 3. Manhole # 186
 4. Between manholes # 185 and # 186
 5. Between manholes # 183 and # 183BB
 6. Between manholes # 183B and # 183D
 7. 314 E. Allenton St. at the # 1 Lift Station
Gravity – 8 in. DIP 14 ft. long
Forced Main – 6 in. DIP 14 ft. long
 8. Between manholes # 178 and # 205
 9. Manhole # 180
 10. Between manhole # 210 and # 213
 11. Manhole # 184
- q. The Town has eleven 4 in. service ditch crossings:
1. Manhole # 188
 2. Manhole # 188
 3. Manhole # 187
 4. Manhole # 186
 5. Manhole # 184
 6. Manhole # 183
 7. Manhole # 180
 8. W. Haywood Lane - 65 ft. from the sidewalk
 9. Behind Food King - Between pole BK17R and pole 18K
 10. Manhole # 183
 11. Manhole # 186

III. Wastewater Treatment Plant Performance:

The Town owns and operates a 0.85 MGD Wastewater Treatment Facility located at 263 Lillys Bridge Road, Mt. Gilead NC. 27306

WWTP effluent is discharged, from Outfall 001, into the Pee Dee River (water classification is WS V&B) of the Yadkin River Basin.

SUMMARY:

TOTAL GALLONS TREATED:	119,130,000 GALLONS
AVERAGE DAILY FLOW:	.326 MGD
SANITARY SEWER OVERFLOWS (SSO'S):	0
BYPASSES:	0
VIOLATIONS:	0

Violations:

The town is dedicated to operating a safe and efficient Wastewater Treatment Plant and Collection System. The WWTP pursued a successful year with no noncompliance issues or violations.

Specifications:

- All daily, weekly, monthly and quarterly required analysis and tests successfully performed and reported.
- ERA WP-351 Efficiency Study completed and passed

Upgrades:

The Town completed a WWTP upgrades/improvements project in 2020 and the WWTP now consists of the following treatment units.

Two equalization Basins.
 Mechanical bar screen with manual bar screen bypass.
 One grit removal system with a grit classifier and press.
 One Influent pump station with five submersible pumps (including one surge pump)
 Two activated sludge aeration basins.
 Two circular center clarifiers with waste activated sludge and return activated sludge,
 air lift system.
 3/125 HP Blowers (normally one at a time running) supplying air to basins.
 Two ultra violet light disinfection units (in need of upgrade).
 One effluent pump station and force main with an effluent flow/magmeter.
 Two aerobic digesters
 Two sludge drying beds with sludge loading station (all in need of upgrade)

Lagoons:

Lagoon levels maintained low and no flow released to #2 lagoon.

Notifications:

Report, will be advertised in the Montgomery Herald and on our customers' monthly utility bills. Notices will also be placed at the local post office, banks and stores. This report will be located and posted in the Town Hall for individual review and/or mailed upon request.

b. Specifications

- All annual EPA and NCDENR inspections were completed and passed inspection.
- All quarterly sampling requirements were performed and were in compliance.
- ERA WP – 219 Study was completed-passed

c. Upgrades

Telemetry systems were installed to notify the ORC of power failures to blowers and screw pumps. High water alarms were installed in effluent station.

d. Lagoons

Lagoon levels were maintained as low as possible and no flow was released to Lagoon # 2.

e. Personnel


ORC – Michael Criscoe (Certificate #14096)
Back-up ORC – Jimmy Haithcock (Certificate #1017169)

f. Notification

The availability of this report will be advertised in the Montgomery Herald and on our customer's monthly utility bills. Notices are also being placed at the local post office, banks and stores. The report will be located and posted in the Town Hall for individual review and/or mailed upon request.

g. Certification

I certify under penalty of law this report is complete and accurate to the best of my knowledge. I further certify that this report will be made available to the users or customers of the Town of Mount Gilead and the users will be notified of its availability.


James McCormick, Jr. - Public Works Director

3-2-2026
Date

Town of Mount Gilead Repair Contacts
2026

Pump Failure Contacts:

1. Kearns Pumping, Todd Kearns - (M) 910-571-1855
2. One More Pot LLC. (O) 1-704-475-0254 (M) 1-910-975-7740

Pump Repair Contacts:

1. Randall Supply - (O) 704-289-6479 (FX) 704-289-8527
2. Electrical Equipment - (O) 910-275-2141
3. Hammond Electric - (O) 704- 983-3178

Electric Repair Contacts:

1. Browning Electric, Jerry Browning - (O) 910-436-6291, (FX) 910-439-6291, (M) 910-572-7980
2. L K C Services LLC, (M) 9106-38-1428, (JASON), (M) 910-975-9097(Cody)

Town of Mount Gilead
Emergency Assistance Contact List
2026

1. Engineering Company

LKC Engineers, pllc, Principal – Bill Lester – (O) 910-420-1437,
(FAX) 910-420-1438, (MB) 910-639-2410

2. Wastewater Pump/Haulers

1. Todd Kearns - (O) 1-910-576-0681, (Toll Free) 1-888-662-5835 -
ID # 312522
2. A.L. Lowder – (O) 1-704-982-4456
3. One More Pot LLC. (O) 1-704-475-0254 (M) 1-910-975-7740 – ID # 01820

3. Line Contractors

1. Breece Enterprises, Inc., High Point, NC 27265, (O) 1-336-841-0889,
(FX) 1-336-841-0847
2. SKC Inc., P.O. Box 386, Seagrove, NC 27341,
(O) 1-336-873-9494, (M) 1-336-465-9600

TOWN OF MOUNT GILEAD

**COLLECTION SYSTEM
EVALUATION
SPILL RESPONSE PLAN
OPERATION AND MAINTENANCE
PLAN
PUMP STATIONS
CONTACT LIST
EQUIPMENT LIST**

JANUARY 2026

SPILL RESPONSE PLAN

1. Do you have a current 24 hour contact list which includes phone numbers of key personnel and/or contractors? YES NO
 2. Do you have an equipment list which includes what functional equipment is available and where it is located? YES NO
 3. Do you have the staff resources to make an on-site assessment of a spill within two hours of notification of the spill? YES NO
 4. Standard spill response procedures:
 - A) Receive Call
 - B) Contact Staff
 - C) Staff Responds to call and is onsite within an hour
 - D) Evaluate Site/Situation
 - E) Call Additional Personnel
 - F) Call DWQ 1-910-433-3308 Normal Business Hours
1-800-858-0368 After Hours-Weekends-Holidays
 - G) Mobilize Equipment and Tools to site
 - H) Perform repairs
 - I) Clean site (rake debris, apply lime, pump contained wastewater into collection system)
 5. Is your spill response plan readily available to all essential personnel? YES NO
 6. Are all essential personnel familiar with the spill response plan and clearly understand its contents? YES NO
-

OPERATION AND MAINTENANCE

1. Is staff designated full-time for collection system and maintenance? Yes NO
2. Do you have a list of 24 hour contacts? YES NO
3. Do have an emergency equipment list? YES NO
4. Staff distribution allocation:

	# Employed	Hours/Week
Collection System	<u>4</u>	<u>25</u>
Pump Stations	<u>4</u>	<u>16 hrs</u>
I&I Correction	<u>4</u>	<u>5</u>

5. Are map(s) of the collection system available? YES NO
6. Total number of Town owned pump stations: 15
County owned-Town maintained: 0
7. Is there a preventative maintenance program in effect?

	<input checked="" type="checkbox"/>	YES	<input type="checkbox"/>	NO
A) Logs/Records	<input checked="" type="checkbox"/>	YES	<input type="checkbox"/>	NO
B) Equipment/System Malfunction Rates	<input checked="" type="checkbox"/>	YES	<input type="checkbox"/>	NO
C) I&I Evaluation	<input checked="" type="checkbox"/>	YES	<input type="checkbox"/>	NO
D) Schedules	<input checked="" type="checkbox"/>	YES	<input type="checkbox"/>	NO
E) Manhole Inspection	<input checked="" type="checkbox"/>	YES	<input type="checkbox"/>	NO
F) Sewer Cleaning Program	<input checked="" type="checkbox"/>	YES	<input type="checkbox"/>	NO
G) Hydrogen Sulfide Monitoring and Control	<input type="checkbox"/>	YES	<input checked="" type="checkbox"/>	NO
H) Lift Station Operation	<input checked="" type="checkbox"/>	YES	<input type="checkbox"/>	NO
I) Easement/Right of Way Maintenance	<input checked="" type="checkbox"/>	YES	<input type="checkbox"/>	NO
J) Walking or Visual Inspection of Lines	<input checked="" type="checkbox"/>	YES	<input type="checkbox"/>	NO
K) Spare Parts Inventory	<input checked="" type="checkbox"/>	YES	<input type="checkbox"/>	NO

8. Description of ongoing inspection program for the collection system: The Town has been smoke testing lines for breakages, we visually inspect rights-of-ways monthly, and creek crossings are inspected quarterly. Lift stations are checked daily and are routinely cleaned.
9. Line cleaning schedule: The Town owns a pressure washing machine and rodder. We clean 10-15% of the lines annually. In 2013, approximately 17,708 lf of gravity sewer line was cleaned which represents 14.7 % of our system.
10. Sewer Use Ordinance? Yes NO Grease Ordinance YES NO
11. Sewer use enforcement practice: We continue to educate our citizens about our ordinance. The Town's pre-treatment status is inactive because we do not have a significant user.

PUMP STATION #1

Facility: Town of Mount Gilead

Contact: James McCormick

Phone: 910-439-5111

Location: 314 E. Allenton Street (Hwy 731 East, See Map)

1. Frequency of Inspection: 1 per week
2. Pump station capacity: 450 GPM HP 30
Does pump station have a flow meter, pump counters, or other means to measure flows? YES NO
3. Does the pump station have a backup power source? YES NO
4. Does the pump station have a working alarm system? YES NO
5. Is there a spare pump available or an adequate spare parts inventory to replace or rebuild pump? YES NO

PUMP STATION #2

Facility: Town of Mount Gilead

Contact: James McCormick

Phone: 910-439-5111

Location: 170 Washington Park Road (Off Hwy 109 North, see map)

1. Frequency of Inspection? 1 per week
2. Pump Station Capacity: 200 GPM HP 18
3. Does the pump station have a backup power source? YES NO
4. Does the pump station have a working alarm system? YES NO
5. Is there a spare pump available or an adequate spare parts inventory to replace or rebuild pump? YES NO

PUMP STATION #3

Facility: Town of Mount Gilead

Contact: James McCormick

Phone: 910-439-5111

Location: 160 Lewis Road (off Hwy 109 North, See Map)

1. Frequency of Inspection? 1 per week
2. Pump Station Capacity: 160 GPM HP 4-7
3. Does the pump station have a backup power source? YES NO
4. Does the pump station have a working alarm system? YES NO
5. Is there a spare pump available or an adequate spare parts inventory to replace or rebuild pump? YES NO

PUMP STATION #4

Facility: Town of Mount Gilead

Contact: James McCormick

Phone: 910-439-5111

Location: Hwy 109 North

1. Frequency of Inspection? 1 per week
2. Pump Station Capacity: 320 GPM HP 15
3. Does the pump station have a backup power source? YES NO
4. Does the pump station have a working alarm system? YES NO
5. Is there a spare pump available or an adequate spare parts inventory to replace or rebuild pump? YES NO

PUMP STATION #5

Facility: Town of Mount Gilead

Contact: James McCormick

Phone: 910-439-5111

Location: Hwy 73 South

1. Frequency of Inspection? 1 per week
2. Pump Station Capacity: 200 GPM HP 20
3. Does the pump station have a backup power source? YES NO
4. Does the pump station have a working alarm system? YES NO
5. Is there a spare pump available or an adequate spare parts inventory to replace or rebuild pump? YES NO

PUMP STATION #6

Facility: Town of Mount Gilead

Contact: James McCormick

Phone: 910-439-5111

Location: 1851 Lilly Bridge Rd

1. Frequency of Inspection? 1 per week
2. Pump Station Capacity: 330 GPM HP 30
3. Does the pump station have a backup power source? YES NO
4. Does the pump station have a working alarm system? YES NO
5. Is there a spare pump available or an adequate spare parts inventory to replace or rebuild pump? YES NO

PUMP STATION #7

Facility: Town of Mount Gilead

Contact: James McCormick

Phone: 910-439-5111

Location: 2101 Lilly Bridge Rd

1. Frequency of Inspection? 1 per week
2. Pump Station Capacity: 320 GPM HP 5
3. Does the pump station have a backup power source? YES NO
4. Does the pump station have a working alarm system? YES NO
5. Is there a spare pump available or an adequate spare parts inventory to replace or rebuild pump? YES NO

PUMP STATION #8

Facility: Town of Mount Gilead

Contact: James McCormick

Phone: 910-439-5111

Location: 250 Plantation Way

1. Frequency of Inspection? 1 per week
2. Pump Station Capacity: 175 GPM HP 25
3. Does the pump station have a backup power source? YES NO
4. Does the pump station have a working alarm system? YES NO
5. Is there a spare pump available or an adequate spare parts inventory to replace or rebuild pump? YES NO

PUMP STATION #9

Facility: Town of Mount Gilead

Contact: James McCormick

Phone: 910-439-5111

Location: 118 Birdie Drive

6. Frequency of Inspection? 1 per week

7. Pump Station Capacity: 175 GPM HP 30

8. Does the pump station have a backup power source? YES NO

9. Does the pump station have a working alarm system? YES NO

10. Is there a spare pump available or an adequate spare parts inventory to replace or rebuild pump? YES NO

PUMP STATION #10

Facility: Town of Mount Gilead

Contact: James McCormick

Phone: 910-439-5111

Location: 189 Holly Harbor Trail

1. Frequency of Inspection? 1 per day
2. Pump Station Capacity: 220 GPM HP 30
3. Does the pump station have a backup power source? YES NO
4. Does the pump station have a working alarm system? YES NO
5. Is there a spare pump available or an adequate spare parts inventory to replace or rebuild pump? YES NO

PUMP STATION #11

Facility: Town of Mount Gilead

Contact: James McCormick

Phone: 910-439-5111

Location: 201 Holly Harbor Trail

1. Frequency of Inspection? 1 per day
2. Pump Station Capacity: 80 GPM HP 5
3. Does the pump station have a backup power source? YES NO
4. Does the pump station have a working alarm system? YES NO
5. Is there a spare pump available or an adequate spare parts inventory to replace or rebuild pump? YES NO

PUMP STATION #12

Facility: Town of Mount Gilead

Contact: James McCormick

Phone: 910-439-5111

Location: 181 Deer Park Rd.

1. Frequency of Inspection? 1 per day
2. Pump Station Capacity: 100 GPM HP 3
3. Does the pump station have a backup power source? YES NO
4. Does the pump station have a working alarm system? YES NO
5. Is there a spare pump available or an adequate spare parts inventory to replace or rebuild pump? YES NO

PUMP STATION #13

Facility: Town of Mount Gilead

Contact: James McCormick

Phone: 910-439-5111

Location: 119 Indian Harbor Circle

1. Frequency of Inspection? 1 per day
2. Pump Station Capacity: 25 GPM HP 5
3. Does the pump station have a backup power source? YES NO
4. Does the pump station have a working alarm system? YES NO
5. Is there a spare pump available or an adequate spare parts inventory to replace or rebuild pump? YES NO

PUMP STATION #14

Facility: Town of Mount Gilead

Contact: James McCormick

Phone: 910-439-5111

Location: 112 Deer Park Rd.

1. Frequency of Inspection? 1 per day
2. Pump Station Capacity: 80 GPM HP 5
3. Does the pump station have a backup power source? YES NO
4. Does the pump station have a working alarm system? YES NO
5. Is there a spare pump available or an adequate spare parts inventory to replace or rebuild pump? YES NO

PUMP STATION #15

Facility: Town of Mount Gilead

Contact: James McCormick

Phone: 910-439-5111

Location: 113 Lakeview Trail

1. Frequency of Inspection? 1 per day
2. Pump Station Capacity: 20 GPM HP 3
3. Does the pump station have a backup power source? YES NO
4. Does the pump station have a working alarm system? YES NO
5. Is there a spare pump available or an adequate spare parts inventory to replace or rebuild pump? YES NO

COLLECTION SYSTEM EVALUATION

1. Estimate how many miles of sewer lines are in your collection system? 100,800 lf of gravity sewer main and 19,458 lf of force main
2. How many pump stations are in the collection system? 15
3. List problem areas within the system. The Town continues to have substantial problems with inflow and infiltration, even though a large portion of the system has been replaced. The Town continues to apply for grant money to fund further rehabilitation of the system but has been unsuccessful in recent funding cycles. The Town also has problems with the age of its collection system.
4. Rank the problems listed in No. 3 in order of importance. If possible, include an estimated date by which the problem will be appropriately addressed.
 - A) Inflow and infiltration
 - B) Aging collection system
5. Describe any ongoing efforts or plans to rehabilitate and/or renovate the collection system.
The Town continues to apply for grant funds to repair the collection system.

**TOWN OF MOUNT GILEAD
CONTACT LIST**

1. Town Hall: 910-439-5111
2. James W. McCormick, Jr., Public Works Director #1 910-439-5111 (W)
910-220-0636 (M) 910-439-5370 (O)
3. Sam Stewart Maintenance, 910-439-5111 (W) 910-975-9764 (M)
4. William Nall, Maintenance 910-439-5111 (W) 336-683-3405 (M)
5. Ryan Foerman, Maintenance, 910-439-5111 (W) 910-220-1504 (M)
6. Elyshah Little Maintenance, 910-439-5111(W) 910-220-0051
7. Jimmy Haithcock, Maintenance 910-439-5111 (W) 336-750-7766 (M)
8. Montgomery County Water Plant and Personnel 910-439-6197(O)

**TOWN OF MOUNT GILEAD
EQUIPMENT LIST**

- | | |
|----------------------|--|
| 1. Sewer Jet Machine | Located in Office shop in the summer and in the front shop in the winter |
| 2. Pump | Located in front and back shop along back wall |
| 3. Service Truck | Front shop and rear shop if employees don't have them at home |
| 4. Generators | On site at lift stations and one portable in Office shop |
| 5. Tractors | In rear shop and at the side of shop |
| 6. Backhoe
at | Located to the Back of Town Hall and one
Sewer Plant |
| 7. Mini X | Located on the back side of Town Hall |

**TOWN OF MOUNT GILEAD
EMERGENCY ASSISTANCE CONTACT LIST**

1. L K C Engineering - - 910-420-1437 (O) 910-420-1438 (F)
Bill Lester - -910-639-2410 (M)

2. Wastewater Pump/Haulers
 - a. Kearns, 910-576-0681 (O) During p.m. -- 910-572-2763
910-571-1855 (M)
 - b. A.L. Lowder 704-982-4456 (O)
 - c. Hurley Pumping – 910-572-2165 (O)

3. S. K. C., Inc.
336-873-9494 (O)
336-873-9498 (FX)
336-465-9600 (M)

4. Pride Plumbing
910-439-4056 (O)
910-975-1470 (M)

TOWN OF MOUNT GILEAD

CONTACT LIST

Town Hall: 910-439-5111
Fax: 910-439-1336

1. James W. McCormick, Jr., Public Works Director
910-439-5111 (W)
910-220-0636 (M)

2. Will Nall, Maintenance
910-439-5111 (W)
336-683-3405 (M)

3. Elyshah Little, Maintenance
910-439-5111 (W)
910-220-0051 (M)

4. Ryan Foerman, Maintenance
910-439-5111 (W)
910-220-1504 (M)

5. Jimmy Haithcock, WWTP ORC
910-439-5111 (W)
336-750-7766 (M)

911
received
[Signature]
3/2/26
Police

received
[Signature]

office
received
[Signature]

3/2/2026

received
[Signature]



Operational Evaluation Level Report

for Stage 2 Disinfection Byproducts

General Information

A. Water System Information

System Name: Town of Mount Gilead Water System Number: NC0362015

Facility Address: P.O. BOX 325

City: Mount Gilead State: N.C. Zip: 27306

B. Report Prepared by:

Name (Print): James McCormick Date Prepared 03/02/2026

Signature: _____ Contact Phone Number: 910-220-0636

Monitoring Results

A. Provide the Compliance Monitoring Site(s) where the Operational Evaluation Level (OEL) was exceeded.

B01 207 MEDFORD PLACE

B02 202 Wadesboro

Blvd.

(Note: The site name and number should correspond to a site in your Stage 2 Compliance Monitoring Plan.)

Operational Evaluation Level Report

for Stage 2 Disinfection Byproducts

B. Monitoring Results for the Site(s) Listed Above

		Quarter			Operational Evaluation Value*
		Results from Two Quarters Ago	Prior Quarter's Results	Current Quarter	
		A	B	C	$D=[A+B+(2*C)]/4$
	Date Sample Was Collected	8/20/2025	11/10/2025	02/09/2025	
B01	TTHM (mg/L)	.082	.078	.023	.0515
	HAA5 (mg/L)	.060	.079	.015	.04225
B02	TTHM (mg/L)	.074	.000	.042	.0395
	HAA5 (mg/L)	.060	.000	.021	.0255

*The OEL is exceeded if any TTHM value in column D exceeds 0.080 mg/L or if any HAA5 value exceeds 0.060 mg/L. [See 15A NCAC 18C Section .2008 (§141.626)]

Limited Scope Reporting

A. Is the cause for elevated disinfection byproducts concentrations known, and can it be quickly corrected operationally?
 Yes No

B. Did the NC Public Water Supply Section allow you to limit the scope of the operational evaluation?
 Yes No

(If YES, complete your report by filling out item C below, and then submit pages 1 & 2 of this form along with the Limited Scope approval correspondence from the Public Water Supply Section. If NO, continue and complete pages 3 through 5 of this form.)

C. Give a brief explanation of the cause of the OEL exceedance and how this has been corrected. (Add additional lines to this table, as necessary.)



MERITECH, INC.

ENVIRONMENTAL LABORATORIES

642 Tamco Rd., Reidsville, NC 27320

Phone: (336) 342-4748 Fax: (336) 342-1522

Email: info@meritechlabs.com Web Site: www.meritechlabs.com

TTHM/HAA5 – Stage 2 Disinfection Byproducts Analysis

Note: All information must be supplied for compliance credit.

Water System Number: 0 3 - 6 2 - 0 1 5 County: Montgomery

Name of Water System: Town of Mt. Gilead

Sample Type: Routine Compliance Non-compliance

Facility ID No. D01

Sample Point ID: B 01 Tap Location: 202 Wadesboro Rd Street Address: 202 Wadesboro Rd City: Mt. Gilead NC 27306

Check (✓) if sample site is owned or controlled by water system.

Check (✓) if sample site is a daycare or a K-12 school.

Collected By: (print) Michael k. Criscoe

Collection Date	Collection Time
<u>02 / 09 / 2025</u>	<u>10 : 25, A M</u>
(MM/DD/YY)	(Specify AM or PM)

Mail Results to (water system representative):

Town of Mt. Gilead C/O Montgomery County Water

724 Hydro Rd

Mt. Gilead NC 27306

Laboratory ID #: 37740

Phone #: (910) 571-2902

Fax #: () _____

Responsible Person's : Wahoo@mtgileadnc.com


	Contam Code	Contaminant	Method Code	Required Reporting Limit (R.R.L.)	Analysis Started	Analysis Ended	Not Detected (i.e. < R.R.L.) (x)	Quantified Results*	Allowable Limit
TTHM ANALYSIS	2941	CHLOROFORM	524.2	0.0010 mg/L	2/10/26 1651	2/26/26 2:00p	<input type="checkbox"/>	0.016 mg/L	0.080 mg/L
	2942	BROMOFORM	524.2	0.0010 mg/L			<input checked="" type="checkbox"/>	mg/L	0.080 mg/L
	2943	BROMODICHLOROMETHANE	524.2	0.0010 mg/L			<input type="checkbox"/>	0.006 mg/L	0.080 mg/L
	2944	DIBROMOCHLOROMETHANE	524.2	0.0010 mg/L			<input type="checkbox"/>	0.001 mg/L	0.080 mg/L
	2950	TOTAL TRIHALOMETHANES	524.2				<input type="checkbox"/>	0.023 mg/L	0.080 mg/L
HAA5 ANALYSIS	2450	MONOCHLOROACETIC ACID	552.2	0.0020 mg/L	2/20/26 1200	2/26/26 2:00p	<input checked="" type="checkbox"/>	mg/L	0.060 mg/L
	2451	DICHLOROACETIC ACID	552.2	0.0010 mg/L			<input type="checkbox"/>	0.007 mg/L	0.060 mg/L
	2452	TRICHLOROACETIC ACID	552.2	0.0010 mg/L			<input type="checkbox"/>	0.008 mg/L	0.060 mg/L
	2453	MONOBROMOACETIC ACID	552.2	0.0010 mg/L			<input checked="" type="checkbox"/>	mg/L	0.060 mg/L
	2454	DIBROMOACETIC ACID	552.2	0.0010 mg/L			<input checked="" type="checkbox"/>	mg/L	0.060 mg/L
	2456	TOTAL HALOACETIC ACIDS	552.2				<input type="checkbox"/>	0.015 mg/L	0.060 mg/L

*Note: If result exceeds the allowable limit, the laboratory must report the analytical results to the State within 48 hours of completion of the analyses for all required contaminants.

Laboratory Log #: 43626 Certified By: Amanda Harcock (Print and sign name)

COMMENTS: _____

ENTERED



MERITECH, INC.

ENVIRONMENTAL LABORATORIES

642 Tamco Rd., Reidsville, NC 27320

Phone: (336) 342-4748 Fax: (336) 342-1522

Email: info@meritechlabs.com Web Site: www.meritechlabs.com

TTHM/HAA5 – Stage 2 Disinfection Byproducts Analysis

Note: All information must be supplied for compliance credit.

Water System Number: 0 3 - 6 2 - 0 1 5 County: Montgomery

Name of Water System: Town of Mt. Gilead

Sample Type: Routine Compliance Non-compliance

Facility ID No. D01

Sample Point ID: B 02 Tap Location: 207 Medford Place Street Address: 207 Medford Place City: Mt. Gilead NC 27306

Check (✓) if sample site is owned or controlled by water system.

Check (✓) if sample site is a daycare or a K-12 school.

Collected By: (print) Michael K. Criscoe

Collection Date	Collection Time
<u>02 / 09 / 2026</u>	<u>10 : 05 , A M</u>
(MM/DD/YY)	(Specify AM or PM)

Mail Results to (water system representative):

Town of Mt. Gilead C/O Montgomery County Water

724 Hydro Rd

Mt. Gilead NC 27306

Laboratory ID #: 37740

Phone #: (910) 571-2902 - 336-624-5193

Fax #: () _____

Responsible Person's email: Wahoo@mtgileadnc.com

	Contam Code	Contaminant	Method Code	Required Reporting Limit (R.R.L.)	Analysis Started	Analysis Ended	Not Detected (i.e. < R.R.L.) (x)	Quantified Results*	Allowable Limit
TTHM ANALYSIS	2941	CHLOROFORM	524.2	0.0010 mg/L	<u>2/10/26 12:26</u>	<u>2/26/26 2:00p</u>	<input type="checkbox"/>	<u>0.031</u> mg/L	0.080 mg/L
	2942	BROMOFORM	524.2	0.0010 mg/L			<input checked="" type="checkbox"/>	mg/L	0.080 mg/L
	2943	BROMODICHLOROMETHANE	524.2	0.0010 mg/L			<input type="checkbox"/>	<u>0.009</u> mg/L	0.080 mg/L
	2944	DIBROMOCHLOROMETHANE	524.2	0.0010 mg/L			<input type="checkbox"/>	<u>0.002</u> mg/L	0.080 mg/L
	2950	TOTAL TRIHALOMETHANES	524.2				<input type="checkbox"/>	<u>0.042</u> mg/L	0.080 mg/L
HAA5 ANALYSIS	2450	MONOCHLOROACETIC ACID	552.2	0.0020 mg/L	<u>2/20/26 12:00</u>	<u>2/26/26 2:00p</u>	<input checked="" type="checkbox"/>	mg/L	0.060 mg/L
	2451	DICHLOROACETIC ACID	552.2	0.0010 mg/L			<input type="checkbox"/>	<u>0.010</u> mg/L	0.060 mg/L
	2452	TRICHLOROACETIC ACID	552.2	0.0010 mg/L			<input type="checkbox"/>	<u>0.011</u> mg/L	0.060 mg/L
	2453	MONOBROMOACETIC ACID	552.2	0.0010 mg/L			<input checked="" type="checkbox"/>	mg/L	0.060 mg/L
	2454	DIBROMOACETIC ACID	552.2	0.0010 mg/L			<input checked="" type="checkbox"/>	mg/L	0.060 mg/L
	2456	TOTAL HALOACETIC ACIDS	552.2				<input type="checkbox"/>	<u>0.021</u> mg/L	0.060 mg/L

*Note: If result exceeds the allowable limit, the laboratory must report the analytical results to the State within 48 hours of completion of the analyses for all required contaminants.

Laboratory Log #: 437-26 Certified By Amanda Hancock Amanda Hancock
(Print and sign name)

COMMENTS: _____

ENTERED

**Water Shortage Response Plan
Town of Mount Gilead, North Carolina
March 16, 2026**

The procedures herein are written to reduce potable water demand and supplement existing drinking water supplies whenever existing water supply sources are inadequate to meet current demands for potable water.

I. Authorization

The Mount Gilead Town Manager shall enact the following water shortage response provisions whenever the trigger conditions outlined in Section IV are met. In his absence, the Public Works Director will assume this role.

Mr. Barrett Brown
Town Manager
Phone: (910) 439-5111
E-mail: bbrown@mtgileadnc.com

Mr. James McCormick
Public Works Director
Phone: (910) 220-0636
E-mail: wahoo@mtgileadnc.com

II. Notification

The following notification methods will be used to inform water system employees and customers of a water shortage declaration: employee e-mail announcements, notices at municipal buildings, notices in water bills and on the Town of Mount Gilead website (<http://www.mtgileadnc.com/>). Required water shortage response measures will be communicated through *The Montgomery Herald*, PSA announcements on local radio and cable stations, and on the Town of Mount Gilead website. Declaration of emergency water restrictions or water rationing will be communicated to all customers by utility bill notification.

III. Levels of Response

Five levels of water shortage response are outlined in the table below. The five levels of water shortage response are: voluntary reductions, mandatory reductions I and II, emergency reductions and water rationing. A detailed description of each response level and corresponding water reduction measures follow below.

Stage	Response	Description
1	Voluntary Reductions	Water users are encouraged to reduce their water use and improve water use efficiency; however, no penalties apply for noncompliance. Water supply conditions indicate a potential for shortage.
2	Mandatory Reductions I	Water users must abide by required water use reduction and efficiency measures; penalties apply for noncompliance. Water supply conditions are significantly lower than the seasonal norm and water shortage conditions are expected to persist.
3	Mandatory Reductions II	Same as in Stage 2
4	Emergency Reductions	Water supply conditions are substantially diminished and pose an imminent threat to human health or environmental integrity.
5	Water Rationing	Water supply conditions are substantially diminished and remaining supplies must be allocated to preserve human health and environmental integrity.

In Stage 1, Voluntary Reductions, all water users will be asked to reduce their normal water use by 5%. Customer education and outreach programs will encourage water conservation and efficiency measures including: irrigating landscapes a maximum of one inch per week; preventing water waste, runoff and watering impervious surfaces; watering plants deeply to encourage root growth; washing only full loads in clothes and dishwashers; using spring-loaded nozzles on garden hoses; and identifying and repairing all water leaks.

In Stage 2, Mandatory Reductions I, all customers are expected to reduce their water use by 10% in comparison to their previous month's water bill. In addition to continuing to encourage all voluntary reduction actions, the following restrictions apply: irrigation is limited to a half inch per week between 8PM and 8AM; outdoor use of drinking water for washing impervious surfaces is prohibited; and all testing and training purposes requiring drinking water (e.g. fire protection) will be limited.

In Stage 3, Mandatory Reductions II, customers must continue actions from all previous stages and further reduce water use by 20% compared to their previous month's water bill. All non-essential uses of drinking water are banned and garden and landscape irrigation must be reduced to the minimum amount necessary for survival. Additionally, in Stage 3, a drought surcharge of 1.5 times the normal water rate applies.

In Stage 4, Emergency Reductions, customers must continue all actions from previous stages and further reduce their water use by 25% compared to their previous months

Water bill. A ban on all use of drinking water except to protect public health and safety is implemented and drought surcharges increase to 2 times the normal water rate.

The goal of Stage 5, Water Rationing, is to provide drinking water to protect public health (e.g. residences, residential health care facilities and correctional facilities). In Stage 5, all customers are only permitted to use water at the minimum required for public health protection. Firefighting is the only allowable outdoor water use and pickup locations for distributing potable water will be announced according to Mount Gilead's Emergency Response Plan. Drought surcharges increase to 5 times the normal water rate.

IV. Triggers

Mount Gilead is provided water solely by purchase from Montgomery County. When Montgomery County declares a water shortage Mount Gilead is required to do so as well. During this time Mount Gilead Utilities Director will stay in close contact with Montgomery County and follow their triggers.

Return to Normal

When water shortage conditions have abated and the situation is returning to normal, water conservation measures employed during each phase should be decreased in reverse order of implementation. Permanent measures directed toward long-term monitoring and conservation should be implemented or continued so that the community will be in a better position to prevent shortages and respond to recurring water shortage conditions.

V. Enforcement

The provisions of the water shortage response plan will be enforced by Town of Mount Gilead personnel and local law enforcement. Violators may be reported to the Town's phone line or the e-mail contact listed on the town's website. Citations are assessed according to the following schedule depending on the number of prior violations and current level of water shortage.

Water Shortage Level	First Violation	Second Violation	Third Violation
Voluntary Reductions	N/A	N/A	N/A
Mandatory Reductions (Stages 2 and 3)	Warning	\$250	Discontinuation of Service
Emergency Reductions	\$250	Discontinuation of Service	No Service Provided After Second Violation.
Water Rationing	\$500	Discontinuation of Service	No Service Provided After Second Violation

Drought surcharge rates are effective in Stages 3, 4 and 5.

VI. Public Comment

Customers will have multiple opportunities to comment on the provisions of the water shortage response plan. First, a draft plan will be available at Town Hall for customers to view. A notice will be included in customer water bill notifying them of such. Also a notice of a draft plan will be published in *The Montgomery Herald* and on the Town of Mount Gilead website. All subsequent revisions to the draft plan will be published at least 30 days prior to an adoption vote by Mount Gilead’s Town Commissioners.

VII. Variance Protocols

Applications for water use variance requests are available from the Town of Mount Gilead website and Town Hall. All applications must be submitted to the Town Hall for review by the Town Manager or his/her designee. A decision to approve or deny individual variance requests will be determined within two weeks of submittal after careful consideration of the following criteria: impact on water demand, expected duration, alternative source options, social and economic importance, purpose (i.e. necessary use of drinking water) and the prevention of structural damage. All variances are subject to the following conditions:

- (1) The applicant must sign a compliance agreement on forms provided by the Town of Mount Gilead, approved by the town attorney, and agreeing to use water in the manner and at the times specified by the Town Manager or Public Works Director.*
- (2) Granting of a variance must not cause an immediate significant reduction in the town’s water supply.*
- (3) The extreme hardship or need requiring the variance must relate to the health, safety or welfare of the person requesting it.*

(4) The duration of the request is specified in the Variance Application.

(5) The health, safety, and welfare of other persons must not be adversely affected by granting the variance.

VIII. Effectiveness

The effectiveness of the Mount Gilead water shortage response plan will be determined by comparing the stated water conservation goals with observed water use reduction data. Other factors to be considered include frequency of plan activation, any problem periods without activation, total number of violation citations, desired reductions attained and evaluation of demand reductions compared to the previous year's seasonal data.

IX. Revision

The water shortage response plan will be reviewed and revised as needed to adapt to new circumstances affecting water supply and demand, following implementation of emergency restrictions, and at a minimum of every five years in conjunction with the updating of our Local Water Supply Plan. Further, a water shortage response planning work group will review procedures following each emergency or rationing stage to recommend any necessary improvements to the plan to Mount Gilead's Town Commissioners. The Town of Mount Gilead Manager is responsible for initiating all subsequent revisions.

Mount Gilead

2025 ▾

The Division of Water Resources (DWR) provides the data contained within this Local Water Supply Plan (LWSP) as a courtesy and service to our customers. DWR staff does not field verify data. Neither DWR, nor any other party involved in the preparation of this LWSP attests that the data is completely free of errors and omissions. Furthermore, data users are cautioned that LWSPs labeled **PROVISIONAL** have yet to be reviewed by DWR staff. Subsequent review may result in significant revision. Questions regarding the accuracy or limitations of usage of this data should be directed to the water system and/or DWR.

1. System Information

Contact Information

Water System Name:	Mount Gilead	PWSID:	03-62-015
Mailing Address:	P.O. Box 325 Mount Gilead, NC 27306	Ownership:	Municipality
Contact Person:	James McCormick	Title:	Public Works Director
Phone:	910-439-5111	Cell/Mobile:	910-220-0636
Secondary Contact:	Matt Casto/NCRWA	Phone:	--
Mailing Address:		Cell/Mobile:	910-220-0636

Provisional

Distribution System

Line Type	Size Range (Inches)	Estimated % of lines
Asbestos Cement	6-10	31.00 %
Ductile Iron	4-12	25.00 %
Galvanized Iron	2-3	14.00 %
Polyvinyl Chloride	2-12	30.00 %

What are the estimated total miles of distribution system lines? 15 Miles

How many feet of distribution lines were replaced during 2025? 0 Feet

How many feet of new water mains were added during 2025? 0 Feet

How many meters were replaced in 2025? 10

How old are the oldest meters in this system? 7 Year(s)

How many meters for outdoor water use, such as irrigation, are not billed for sewer services? 4

What is this system's finished water storage capacity? 0.3000 Million Gallons

Has water pressure been inadequate in any part of the system since last update? *Line breaks that were repaired quickly should not be included.* No

Programs

Does this system have a program to work or flush hydrants? Yes, As Needed

Does this system have a valve exercise program? No, As Needed

Does this system have a cross-connection program? No

Does this system have a program to replace meters? Yes

Does this system have a plumbing retrofit program? No

Does this system have an active water conservation public education program? Yes

Does this system have a leak detection program? Yes

Water Conservation

What type of rate structure is used? Uniform

How much reclaimed water does this system use? 0.0000 MGD For how many connections? 0

Does this system have an interconnection with another system capable of providing water in an emergency? No

2. Water Use Information

Service Area

Sub-Basin(s)	% of Service Population	County(s)	% of Service Population
Yadkin River (18-1)	100 %	Montgomery	100 %

What was the year-round population served in 2025? 1,181

Has this system acquired another system since last report? No

Water Use by Type

Type of Use	Metered Connections	Metered Average Use (MGD)	Non-Metered Connections	Non-Metered Estimated Use (MGD)
Residential	494	0.0600	0	0.0000
Commercial	62	0.0080	0	0.0000
Industrial	7	0.0030	0	0.0000
Institutional	11	0.0050	0	0.0000

How much water was used for system processes (backwash, line cleaning, flushing, etc.)? 0.0050 MGD

3. Water Supply Sources

Monthly Withdrawals & Purchases

	Average Daily Use (MGD)	Max Day Use (MGD)		Average Daily Use (MGD)	Max Day Use (MGD)		Average Daily Use (MGD)	Max Day Use (MGD)
Jan	5.4974		May	5.5120		Sep	8.9525	
Feb	6.2701		Jun	5.0232		Oct	4.4266	
Mar	5.6162		Jul	4.4008		Nov	4.0850	
Apr	6.6245		Aug	4.6533		Dec	4.2345	




Water Purchases From Other Systems

Seller	PWSID	Average Daily Purchased (MGD)	Days Used	Contract MGD	Expiration	Contract Recurring	Required to comply with water use restrictions?	Pipe Size(s) (Inches)	Use Type
Montgomery County	03-62-010	0.1634	365	0.2800	2045	Yes	Yes	8	Regular

4. Wastewater Information

Monthly Discharges

	Average Daily Discharge (MGD)		Average Daily Discharge (MGD)		Average Daily Discharge (MGD)
Jan	0.6480	May	0.0450	Sep	0.0986
Feb	0.6564	Jun	0.1707	Oct	0.0018
Mar	0.0922	Jul	0.0000	Nov	0.0000
Apr	0.4948	Aug	0.0013	Dec	0.0008



How many sewer connections does this system have? 1,903

How many water service connections with septic systems does this system have? 100

Are there plans to build or expand wastewater treatment facilities in the next 10 years? No

Wastewater Permits

Permit Number	Type	Permitted Capacity (MGD)	Design Capacity (MGD)	Average Annual Daily Discharge (MGD)	Maximum Day Discharge (MGD)	Receiving Stream	Receiving Basin
NC0021105	WWTP	0.8500	0.8500	0.3000	0.8000	Yadkin River	Uwharrie River (18-3)

5. Planning

Projections

	2025	2030	2040	2050	2060	2070
Year-Round Population	1,181	1,827	2,473	2,473	2,473	2,473
Seasonal Population	0	0	0	0	0	0
Residential	0.0600	0.0786	0.0786	0.0786	0.0786	0.0786
Commercial	0.0080	0.0050	0.0050	0.0050	0.0050	0.0050
Industrial	0.0030	0.0040	0.0040	0.0040	0.0040	0.0040
Institutional	0.0050	0.0040	0.0040	0.0040	0.0040	0.0040
System Process	0.0050	0.0010	0.0010	0.0010	0.0010	0.0010
Unaccounted-for	0.0824	0.0370	0.0730	0.0730	0.0730	0.0730

Demand v/s Percent of Supply

	2025	2030	2040	2050	2060	2070
Surface Water Supply	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Ground Water Supply	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Purchases	0.2800	0.2800	0.2800	0.2800	0.2800	0.2800
Future Supplies		0.0000	0.0000	0.0000	0.0000	0.0000
Total Available Supply (MGD)	0.2800	0.2800	0.2800	0.2800	0.2800	0.2800
Service Area Demand	0.1634	0.1296	0.1656	0.1656	0.1656	0.1656
Sales	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Future Sales		0.0000	0.0000	0.0000	0.0000	0.0000
Total Demand (MGD)	0.1634	0.1296	0.1656	0.1656	0.1656	0.1656
Demand as Percent of Supply	58%	46%	59%	59%	59%	59%



The purpose of the above chart is to show a general indication of how the long-term per capita water demand changes over time. The per capita water demand may actually be different than indicated due to seasonal populations and the accuracy of data submitted. Water systems that have calculated long-term per capita water demand based on a methodology that produces different results may submit their information in the notes field.

Your long-term water demand is 51 gallons per capita per day. What demand management practices do you plan to implement to reduce the per capita water demand (i.e. conduct regular water audits, implement a plumbing retrofit program, employ practices such as rainwater harvesting or reclaimed water)? If these practices are covered elsewhere in your plan, indicate where the practices are discussed here.

Are there other demand management practices you will implement to reduce your future supply needs?

What supplies other than the ones listed in future supplies are being considered to meet your future supply needs?

How does the water system intend to implement the demand management and supply planning components above?

Additional Information

Has this system participated in regional water supply or water use planning? No

What major water supply reports or studies were used for planning?

Please describe any other needs or issues regarding your water supply sources, any water system deficiencies or needed improvements (storage, treatment, etc.) or your ability to meet present and future water needs. Include both quantity and quality considerations, as well as financial, technical, managerial, permitting, and compliance issues:

The Division of Water Resources (DWR) provides the data contained within this Local Water Supply Plan (LWSP) as a courtesy and service to our customers. DWR staff does not field verify data. Neither DWR, nor any other party involved in the preparation of this LWSP attests that the data is completely free of errors and omissions. Furthermore, data users are cautioned that LWSPs labeled **PROVISIONAL** have yet to be reviewed by DWR staff. Subsequent review may result in significant revision. Questions regarding the accuracy or limitations of usage of this data should be directed to the water system and/or DWR.

Contact Information

* denotes required fields

* Water System Name:

* Mailing Address:

* City:

* State/Zip:

* Ownership:

Person responsible for the local water system and who is best able to answer questions about information contained within the LWSP report.

* Contact Person:

Contact Title:

* Phone: - -

Cell/Mobile: - -

* Email Address:

If your system's report is being prepared by a third party or you wish to add a secondary contact, please list them below:

Name:

Phone: -

Cell/Mobile: - -

Email:

Mailing Address:

City:

State/Zip:

Distribution Information

* denotes required fields

[Add Line Type](#)

Line Type	Size Range (Inches)	Estimated % of lines	Edit	Delete
Asbestos Cement	6-10	31.00 %		
Ductile Iron	4-12	25.00 %		
Galvanized Iron	2-3	14.00 %		
Polyvinyl Chloride	2-12	30.00 %		

* What are the estimated total miles of water lines? Miles

* How many feet of water lines were replaced during 2025? Feet

* How many feet of new water lines were added during 2025? Feet

* How many meters were replaced in 2025? Feet

* How old are the oldest meters in this system? Year(s)

* How many meters for outdoor water use, such as irrigation, are not billed for sewer services?

* Has water pressure been inadequate in any part of the system since last report? Line breaks that were repaired quickly should not be included. Yes No

* What is this system's finished water storage capacity? Million Gallons

Note:

Programs

* denotes required fields

- * Does this system have a program to work or flush hydrants? Yes No As Needed As Needed
- * Does this system have a valve exercise program? Yes No As Needed As Needed
- * Does this system have a cross-connection program? Yes No
- * Does this system have a program to replace meters? Yes No
- * Does this system have a plumbing retrofit program? Yes No
- * Does this system have an active water conservation public education program? Yes No
- * Does this system have a leak detection program? Yes No If yes, please describe

Note:

Water Conservation

* denotes required fields

* What type of rate structure is used? (Check all that apply)

Decreasing Block Flat/Fixed Increasing Block Seasonal Uniform Other

* How much reclaimed water does this system use? 0.0000 MGD For how many connections? 0

* Does this system have an interconnection with another system capable of providing water in an emergency? Yes No
If no, describe interconnection plans (or explain why an interconnection is not feasible or necessary).

Note:

Water Conservation

* denotes required fields

* What type of rate structure is used? (Check all that apply)

Decreasing Block Flat/Fixed Increasing Block Uniform Other

* How much reclaimed water does this system use? 0.0000 MGD For how many connections? 0

* Does this system have an interconnection with another system capable of providing water in an emergency? Yes No
If no, describe interconnection plans (or explain why an interconnection is not feasible or necessary).

Note:

[Cancel](#)

Water Use by Type

* denotes required fields

* Please complete the following table for each type of use. Please report water use in Million Gallons per Day.

Use Type	Metered Connections	Metered Average Use	Non-metered Connections	Non-metered Estimated Use
<u>Residential</u>	494	0.0600 MGD	0	0.0000 MGD
<u>Commercial</u>	62	0.0080 MGD	0	0.0000 MGD
<u>Industrial</u>	7	0.0030 MGD	0	0.0000 MGD
<u>Institutional</u>	11	0.0050 MGD	0	0.0000 MGD

* How much water was used for system processes? 0.0050 MGD

Note:

Save

Cancel

Sales to Other Systems

Does this system have an existing interconnection that can supply water to other systems? Yes No

[Cancel](#)

Monthly Withdrawals (including purchases)

* denotes required fields

Provide the average daily and maximum day water withdrawn and purchased for each month. Be sure to include ALL water withdrawn from all sources plus water purchased. Please report water withdrawn in Million Gallons per Day.

Month	* Average Daily	Maximum Day	Month	* Average Daily	Maximum Day	Month	* Average Daily	Maximum Day
Jan	5.4974 MGD	MGD	May	5.5120 MGD	MGD	Sep	8.9525 MGD	MGD
Feb	6.2701 MGD	MGD	Jun	5.0232 MGD	MGD	Oct	4.4266 MGD	MGD
Mar	5.6162 MGD	MGD	Jul	4.4008 MGD	MGD	Nov	4.0850 MGD	MGD
Apr	6.6245 MGD	MGD	Aug	4.6533 MGD	MGD	Dec	4.2345 MGD	MGD

Note:

Save

Cancel

Ground Water Sources

Does this system have any ground water sources? Yes No

[Cancel](#)

Surface Water Sources

Does this system have any surface water sources? Yes No

[Cancel](#)

Water Purchases

[Add Purchase](#)

List all water systems that your water system is interconnected with (for all purchases, both regular and emergency). You should list any available interconnection whether or not it was used for purchases during the reporting year.

Water System
Montgomery County

PWSID
03-62-010

Edit 

Delete 

Note:

Save
Cancel

Edit Purchase

* denotes required fields

* Water System:	Montgomery County
* PWSID:	03 - 62 - 010
* Average Daily Purchased:	0.1634 MGD
* Days Purchased:	365
Contract Amount:	0.2800 MGD
Expiration Year:	2045 (YYYY)
Is contract recurring?	<input checked="" type="radio"/> Yes <input type="radio"/> No
* <u>Required to comply with water use restrictions?</u>	<input checked="" type="radio"/> Yes <input type="radio"/> No
Pipe Size(s):	8 Inches
* Use Type:	<input checked="" type="radio"/> Regular <input type="radio"/> Emergency
<input type="button" value="Save"/> <input type="button" value="Cancel"/>	

Water Treatment Plants

Does this system have any water treatment plants? Yes No

Monthly Discharge

* denotes required fields

* List the Average Daily Discharges for each month. Please report discharges in Million Gallons per Day.

Month	Average Daily Discharge	Month	Average Daily Discharge	Month	Average Daily Discharge	Month	Average Daily Discharge	Month	Average Daily Discharge
Jan	0.6480 MGD	Apr	0.4948 MGD	Jul	0.0000 MGD	Oct	0.0018 MGD		
Feb	0.6564 MGD	May	0.0450 MGD	Aug	0.0013 MGD	Nov	0.0000 MGD		
Mar	0.0922 MGD	Jun	0.1707 MGD	Sep	0.0986 MGD	Dec	0.0008 MGD		

* How many sewer service connections does this system have?

* How many water service connections with septic systems does this system have?

* Are there plans to build or expand wastewater treatment facilities in the next 10 years? No Yes If yes, please explain.

Note:

Cancel

Wastewater Permits

[Add Permit](#)

Permit Number

NC0021105

Edit



Delete



Note:

Save

Cancel

Edit Permit

* denotes required fields

* Type:	Wastewater Treatment Plant ▼		
* Permit Number:	NC0021105		
* Permitted Capacity:	0.8500	MGD	
* Design Capacity:	0.8500	MGD	
* Average Annual Daily Discharge:	0.3000	MGD	
Maximum Day Discharge:	0.8000	MGD	
* Sub-Basin:	Uwharrie River (18-3)	▼	View Sub-Basins 
* Receiving Stream:	Yadkin River		

Wastewater Interconnections

Does this system have any wastewater interconnections? Yes No

Projections * denotes required fields

	2025	2030	2040	2050	2060	2070
Population Projections						
* <u>Year-Round</u>	1,181	1827	3825	3825	3825	3825
<u>Seasonal</u>						
Water Use Projections (MGD)						
* <u>Residential</u>	0.0600	0.0786	0.1645	0.1645	0.1645	0.1645
* <u>Commercial</u>	0.0080	0.0050	0.0050	0.0050	0.0050	0.0050
* <u>Industrial</u>	0.0030	0.0040	0.0040	0.0040	0.0040	0.0040
* <u>Institutional</u>	0.0050	0.0040	0.0040	0.0040	0.0040	0.0040
* <u>System Process</u>	0.0050	0.0010	0.0010	0.0010	0.0010	0.0010
Unaccounted-for Estimate	Calculate	0.0942	0.1816	0.1816	0.1816	0.1816
* Unaccounted-for Fill	0.0824	0.0379	0.0730	0.0734	0.0734	0.0734

Note:

Save **Cancel**

Future Sales

Does this system plan to do any of the following after 2025? Yes No

- Negotiate an increase in an existing sales contract;
- Establish a new interconnection with another system for the purpose of selling water; or
- Negotiate a new sales contract with any neighboring system?

[Cancel](#)

Future Supply Sources

Does this system plan to do any of the following after 2025? Yes No

- Drill a new well to be used as a source of water;
- Expand an existing water treatment plant;
- Develop a new surface water intake;
- Develop a new water treatment plant;
- Negotiate an increase in an existing purchase contract;
- Establish a new interconnection with another system for the purpose of buying water; or
- Negotiate a new purchase contract with any neighboring system?

[Cancel](#)

Plan for Meeting Future Water Supply Needs

* denotes required fields

Demand v/s Percent of Supply	2025	2030	2040	2050	2060	2070
Surface Water Supply	0.000	0.000	0.000	0.000	0.000	0.000
Ground Water Supply	0.0000	0.000	0.000	0.000	0.000	0.000
Purchases	0.280	0.280	0.280	0.280	0.280	0.280
Future Supplies		0.000	0.000	0.000	0.000	0.000
Total Available Supply (MGD)	0.280	0.280	0.280	0.280	0.280	0.280
Service Area Demand	0.163	0.130	0.166	0.166	0.166	0.166
Sales	0.000	0.000	0.000	0.000	0.000	0.000
Future Sales		0.000	0.000	0.000	0.000	0.000
Total Demand (MGD)	0.163	0.130	0.166	0.166	0.166	0.166
Demand as Percent of Supply	58%	46%	59%	59%	59%	59%
Seasonal Demand as Percent of Supply	3,197%					

Your report indicates that your system's average daily demand will not exceed eighty percent (80%) of available supply by the year 2050. Also, your seasonal demand did not exceed ninety percent (90%) of your available supply.

A plan to meet future water supply needs does not appear to be required. However, if your system is considering how to address future water supply needs, planning details can be addressed in the following questions. ([Planning Guidelines](#))

Your long-term water demand is 51. What demand management practices do you plan to implement to reduce the per capita water demand (i.e. conduct regular water audits, implement a plumbing retrofit program, employ practices such as rainwater harvesting or reclaimed water)? If these practices are covered elsewhere in your plan, or there are no changes from a previous submittal, indicate where the practices are discussed or "No Changes" here.

What demand management practices do you plan to implement to reduce your future supply needs?

What supplies other than the ones listed in future supplies are being considered to meet your future supply needs?

How does the water system intend to implement the demand management and supply planning components above? Consider the technical assistance, funding, development and permitting that may be required.

Save

Cancel



Town of
**MOUNT GILEAD POLICE
DEPARTMENT**

**123 North Main Street - Post Office Box 325
Mount Gilead, North Carolina, 27306**
Phone: (910) 439-6711 Fax: (910) 439-1855

MEMORANDUM

**To: Barrett Brown
Town Manager**

**From: Talmedge LeGrand
Chief of Police**

Date: February 24 - March 15, 2026

Subject: Mount Gilead Police Department Monthly Report for February 24 - March 15, 2026

This month at the Mount Gilead Police Department officer have been working to ensure a safer town with investigations into illegal substances.

Two officers were involved in a roundup with the State of North Carolina Probation and Parole team to stop and get violators off of the street.

Officers from the department were in attendance at the new Town of Biscoe Chief of Police Swearing-in Ceremony.

The department has been involved with more calls assisting the County with things that are happening close to town.

Administration and Patrol

- The School Resource Officer continues to greet students at MGES and provide a positive environment.
- Officers attended the scheduled grand jury session.
- Officers are continuing to check business doors each night.
- Officers conducted various traffic stops.
- Officers continue to take annual in-service training.
- Ranking officers continue to fill in shifts for officers as needed shift schedule (sickness, training, vacancy etc.).
- Entered IBR (monthly crime report) into the state database for crime statistics.
- Continued entry of SBI Traffic Stop Reports.
- Routinely reviewed body camera videos.
- Continued escorts for businesses as they close at night.
- Department vehicles serviced with oil changes and tire rotations.

Montgomery County Communications
199 South Liberty St Troy , NC 27371

CFS By Department - Select Department By Date
 For MT GILEAD POLICE DEPT 02/24/2026 00:00 - 03/16/2026 23:59

MT GILEAD POLICE DEPT	Count	Percent
911 HANG UP	3	4.92%
ABDOMINAL PAINS - PROBLEMS	1	1.64%
ALARM (NOT FIRE) COMMERCIAL	8	13.11%
ALARM (NOT FIRE) RESIDENTIAL	4	6.56%
ANIMAL CALL (NOT ATTACKS)	1	1.64%
ASSIST MOTORIST	3	4.92%
CITIZEN ASSIST	1	1.64%
CIVIL	1	1.64%
DOMESTIC	2	3.28%
FIRE ALARM	1	1.64%
FOLLOWUP INVESTIGATION	5	8.20%
INDECENT EXPOSURE	1	1.64%
INFORMATION	4	6.56%
INTOXICATED SUBJECT(s)	1	1.64%
JUVENILE(s)	1	1.64%
LARCENY	1	1.64%
LOITERING	3	4.92%
MAN WITH A GUN	2	3.28%
NOISE VIOLATION	2	3.28%
SERVE PAPER	2	3.28%
SHOTS FIRED	2	3.28%
SICK PERSON (SPECIFIC DIAGNOSIS)	2	3.28%
STRUCTURE FIRE	1	1.64%
SUSPICIOUS PERSON/VEH/ACTIVITY	2	3.28%
TRAFFIC STOP	1	1.64%
UNAUTHORIZED USE	1	1.64%
VEHICLE FIRE	1	1.64%
WANTED PERSON	1	1.64%
WELFARE CHECK	3	4.92%
Total Records For MT GILEAD POLICE DEPT	61	Group/Total 100.00%
Total Records	61	

Montgomery County Communications
199 South Liberty St Troy , NC 27371

CFS By Department/Unit/Date
02/24/2026 - 03/16/2026

MT GILEAD POLICE DEPT

701			
SERVE PAPER		1	1.43%
Unit Total		1	
702			
CIVIL		1	1.43%
FOLLOWUP INVESTIGATION		2	2.86%
SICK PERSON (SPECIFIC DIAGNOSIS)		1	1.43%
VEHICLE FIRE		1	1.43%
WELFARE CHECK		1	1.43%
Unit Total		6	
703			
911 HANG UP		2	2.86%
ALARM (NOT FIRE) RESIDENTIAL		1	1.43%
ASSIST MOTORIST		2	2.86%
DOMESTIC		1	1.43%
FOLLOWUP INVESTIGATION		2	2.86%
INDECENT EXPOSURE		1	1.43%
JUVENILE(s)		1	1.43%
LARCENY		1	1.43%
SERVE PAPER		1	1.43%
SHOTS FIRED		1	1.43%
WELFARE CHECK		1	1.43%
Unit Total		14	
704			
911 HANG UP		1	1.43%
LOITERING		1	1.43%
MAN WITH A GUN		1	1.43%
SERVE PAPER		2	2.86%
SICK PERSON (SPECIFIC DIAGNOSIS)		1	1.43%
Unit Total		6	
705			
ALARM (NOT FIRE) COMMERCIAL		5	7.14%
ALARM (NOT FIRE) RESIDENTIAL		1	1.43%
CITIZEN ASSIST		1	1.43%
DOMESTIC		1	1.43%
INFORMATION		2	2.86%
INTOXICATED SUBJECT(s)		1	1.43%
LOITERING		2	2.86%
MAN WITH A GUN		1	1.43%
NOISE VIOLATION		2	2.86%

MT GILEAD POLICE DEPT

705		
SERVE PAPER	2	2.86%
SHOTS FIRED	1	1.43%
SICK PERSON (SPECIFIC DIAGNOSIS)	1	1.43%
STRUCTURE FIRE	1	1.43%
TRAFFIC STOP	1	1.43%
UNAUTHORIZED USE	1	1.43%
WANTED PERSON	1	1.43%
	Unit Total	24
706		
911 HANG UP	1	1.43%
ABDOMINAL PAINS - PROBLEMS	1	1.43%
ALARM (NOT FIRE) COMMERCIAL	3	4.29%
ALARM (NOT FIRE) RESIDENTIAL	2	2.86%
ANIMAL CALL (NOT ATTACKS)	1	1.43%
ASSIST MOTORIST	1	1.43%
FIRE ALARM	1	1.43%
FOLLOWUP INVESTIGATION	1	1.43%
INFORMATION	2	2.86%
MAN WITH A GUN	1	1.43%
SERVE PAPER	1	1.43%
SUSPICIOUS PERSON/VEH/ACTIVITY	2	2.86%
WELFARE CHECK	2	2.86%
	Unit Total	19
	Department Total	70 100.00%

Montgomery County Communications
199 South Liberty St Troy , NC 27371

CFS Report - By Dept/Date With Notes
MT GILEAD POLICE DEPT
02/24/2026 - 03/16/2026

CFS #	Date/Time	Location	Call Type	Disposition
202604297	02/26/2026 07:51:20	MCRAE INDUSTRIES INC 400 N MAIN ST, MT GILEAD	ALARM (NOT FIRE) COMMERCIAL	CANCELED-10-22
Units 706		OCA(s)		
Notes ZONE 7 PERM BURG - KEY HOLDER BRYAN TILLEY 9105712724				
202604301	02/26/2026 08:48:58	THE GILEAD 110 ROOSEVELT AVE, MT GILEAD	FIRE ALARM	CLEAR-10-24
Units 706		OCA(s) 02-26-023		
Notes RM 203 FIRE ALARM REF# 2339168 MHUSSEY 02/26/2026 08:50:26 E,F,L,R,O ADDITIONAL 911 CALLER ADV SMOKE IN ROOM, UNSURE OF WHERE SAME IS COMING FROM. 84 ADV TO EVACUATE. TLAWING 02/26/2026 09:29:44 E,F,L,R,O electrical issues in room 203 with outlet power is off in it				
202604330	02/26/2026 17:06:43	MT GILEAD MEDICAL SERVICES 202 N MAIN ST, MT GILEAD	ALARM (NOT FIRE) COMMERCIAL	CLEAR-10-24
Units 706		OCA(s)		
Notes LOBBY MOTION X2				
202604344	02/26/2026 19:54:40	503 S WADESBORO BLVD, MT GILEAD	FOLLOWUP INVESTIGATION	CLEAR-10-24
Units 702		OCA(s)		
Notes				
202604364	02/27/2026 05:53:59	BLAKEWOOD APTS MT GILEAD 308 S WADESBORO BLVD 3, MT GILEAD	NOISE VIOLATION	CLEAR-10-24
Units 705		OCA(s)		
Notes REQ TO SPEAK TO AN OFFICER REF TO THE NEIGHBOR BELOW HER HAS BEEN KNOCKING ON THE CEILING ALL NIGHT				
202604385	02/27/2026 11:09:03	PRIDE PLUMBING 205 N MAIN ST, MT GILEAD	ALARM (NOT FIRE) COMMERCIAL	FALSE ALARM
Units 705		OCA(s)		
Notes GARAGE DOOR; SPOKE TO DYLAN WRONG PASSCODE; OPER 7129				
202604389	02/27/2026 11:36:31	MT GILEAD PD 123 N MAIN ST, MT GILEAD	INFORMATION	CLEAR-10-24
Units 705		OCA(s)		
Notes				
202604394	02/27/2026 12:10:19	203 S SCHOOL ST, MT GILEAD	CITIZEN ASSIST	CLEAR-10-24
Units 705		OCA(s)		
Notes REQ LEO .. WOULD NOT PROVIDE A REF				
202604429	02/27/2026 20:20:26	301 CLINTON ST, MT GILEAD	ALARM (NOT FIRE) RESIDENTIAL	CLEAR-10-24
Units 703		OCA(s)		
Notes DOWNSTAIRS MOTION CALVIN RUSHING RES; 910-220-7838 NO CONTACT; OP # QFD1				

CFS #	Date/Time	Location	Call Type	Disposition
202604461	02/28/2026 09:56:57	BURGER SHACK 100 S WADESBORO BLVD, MT GILEAD	LOITERING	CLEAR-10-24
Units	705		OCA(s)	
Notes	REQ AN OFFICER TO REMOVE ANYONE LOITERING OR DRINKING AT COHOI FROM THE PVA. REQ A 10-21 ESLAGLE 02/28/2026 09:57:58 E,F,L,R,O SENT NAME AND NUMBER TO 705 PS			
202604483	02/28/2026 15:24:19	WATER TANK-INDUSTRY AVE 101 INDUSTRY AVE, MT GILEAD	INTOXICATED SUBJECT(s)	CITATION(S) ISSUED
Units	705		OCA(s)	
Notes	SUBJS DRINKING BY THE WATER TOWER			
202604484	02/28/2026 15:46:55	750 BRUTON CARPENTER RD, MT GILEAD	WANTED PERSON	CLEAR-10-24
Units	705		OCA(s)	
Notes	RATKINSON 02/28/2026 15:49:03 E,F,L,R,O NICHALOS WALLACE RATKINSON 02/28/2026 16:01:03 E,F,L,R,O HOLD CHANNEL RATKINSON 02/28/2026 16:03:58 E,F,L,R,O 120 REQ 705 MUTUAL AID RATKINSON 02/28/2026 16:05:06 E,F,L,R,O X1 DETAINED RATKINSON 02/28/2026 16:10:16 E,F,L,R,O 120 ADV MAKING ENTRY RATKINSON 02/28/2026 16:16:45 E,F,L,R,O RELEASE CHANNEL RATKINSON 02/28/2026 16:21:46 E,F,L,R,O MARY DAWANNA FAULKNER 08/01/1983 23160391 NC 25CR376961-220 North Carolina Order For Arrest CLEVELAND POSSESS METHAMPHETAMINE FCR Unserved RATKINSON 02/28/2026 17:00:24 E,F,L,R,O 120 REQ 705 MUTUAL AID RATKINSON 02/28/2026 17:33:57 E,F,L,R,O MAG BROWN NOTIFIED			
202604488	02/28/2026 16:16:10	PAPERWORK INDUSTRIES 5465 NC HWY 73 W, MT GILEAD	TRAFFIC STOP	CLEAR-10-24
Units	705		OCA(s)	
Notes				
202604520	02/28/2026 21:56:21	LUNAS PIZZA & RESTURANT 104 S MAIN ST, MT GILEAD	ASSIST MOTORIST	CLEAR-10-24
Units	703		OCA(s)	
Notes	GRY HONDA ACCORD. NEEDS VEH UNLOCKED			
202604645	03/02/2026 13:26:05	MT GILEAD PD 123 N MAIN ST, MT GILEAD	INFORMATION	MESSAGE DELIVERED
Units	706		OCA(s)	
Notes	wants to talk to an mg officer			

CFS #	Date/Time	Location	Call Type	Disposition
202604699	03/03/2026 08:58:41	MT GILEAD PD 123 N MAIN ST, MT GILEAD	SERVE PAPER	CLEAR-10-24
Units	701, 703, 704, 705, 706		OCA(s)	
Notes				
202604771	03/04/2026 00:33:09	NC HWY 109 S \ PARKER RD	VEHICLE FIRE	CLEAR-10-24
Units	702		OCA(s)	
Notes	semi tl on fire out of veh JWHITAKER 03/04/2026 01:26:49 E,F,L,R,O c21 req leo for traffic control SSIMPSON 03/04/2026 02:22:22 E,F,L,R,O MATT W/ ATR TOWING OUT OF ANSON CO ADV HE IS 10-17 TO PICK UP VEH. 704-695-7121. ADV APRX 30 MIN-1 HR ETA. SENT NAME AND NUMBER TO 140 VIA P/S			
202604797	03/04/2026 09:27:43	155 EMMALINE ST, MT GILEAD	STRUCTURE FIRE	CLEAR-10-24
Units	705		OCA(s) 03-26-024	
Notes	HIT ELECTRICAL WIRE IN WALL AND FLAMES UP AND IS OUT AT THIS TIME HMATTHEWS 03/04/2026 09:31:02 E,F,L,R,O C64 10-8 RATKINSON 03/04/2026 09:31:10 E,F,L,R,O 705 ADV NOTHING SHOWING HMATTHEWS 03/04/2026 09:32:21 E,F,L,R,O C26 10-23 POV HMATTHEWS 03/04/2026 09:34:02 E,F,L,R,O C26 CANCELED ST 6 AND 10			
202604850	03/04/2026 16:55:11	CAR WASH MT GILEAD 203 JULIUS CHAMBERS AVE, MT GILEAD	MAN WITH A GUN	UNABLE TO LOCATE-CONTACT-AREA CHECKED
Units	705		OCA(s)	
Notes	BLK MALES ARGUING ONE SUBJ HAS A GUN, SILVER BENZ, BLUE HOODIE			
202604883	03/05/2026 01:20:54	154 EMMALINE ST, MT GILEAD	JUVENILE(s)	CLEAR-10-24
Units	703		OCA(s)	
Notes	autistic 14yo child ran away on bike, physically harmful to himself and the caller, left towards town, lsw gray shorts no shirt, mixed 14yo, blk and blue bike			
202604889	03/05/2026 07:42:28	MCRAE INDUSTRIES INC 400 N MAIN ST, MT GILEAD	ALARM (NOT FIRE) COMMERCIAL	CLEAR-10-24
Units	705		OCA(s)	
Notes	SHFD/SII /ATT RFP/910-439-4072/OP 7031 RFF 1558582 RATKINSON 03/05/2026 07:45:38 E,F,L,R,O CLEAR-10-24 - ACCIDENTAL PER 705			
202604898	03/05/2026 10:23:40	203 S SCHOOL ST, MT GILEAD	SICK PERSON (SPECIFIC DIAGNOSIS)	CLEAR-10-24
Units	704, 705		OCA(s)	
Notes	NOT SAFE FOR HER TO BE HOME HMATTHEWS 03/05/2026 10:23:54 E 76-year-old, Female, Conscious, Breathing. HMATTHEWS 03/05/2026 10:24:22 E 76-year-old, Female, Conscious, Breathing. Chief Complaint: Sick Person (Specific Diagnosis) Dispatch Level: 26A09 Response: Alpha CADCode: 26A09 HMATTHEWS 03/05/2026 10:43:28 E,F,L,R,O			

CFS #	Date/Time	Location	Call Type	Disposition
372 REQ 705 REF IVC PROCESS				
202604910	03/05/2026 12:12:08	MCKINNON DENTAL OFFICE 407 N MAIN ST, MT GILEAD	LOITERING	CLEAR-10-24
Units	704	OCA(s)		
Notes	SUBJ IS SITTING ON THE BRICK WALL NEAR THE WATER TOWER RATKINSON 03/05/2026 12:15:55 E,F,L,R,O CLEAR-10-24 - SUBJS ON THEIR WAY			
202604918	03/05/2026 12:55:00	BRUTON GRADING 4562 NC HWY 73 W, MT GILEAD	ALARM (NOT FIRE) COMMERCIAL	CLEAR-10-24
Units	705	OCA(s)		
Notes	GARAGE MOT/ 910-434-4599 MANDY REQ DISPATCH/AID/OP 7099 RATKINSON 03/05/2026 13:07:44 E,F,L,R,O 123 REQ 705 MUTUAL AID RATKINSON 03/05/2026 13:12:39 E,F,L,R,O CLEAR-10-24 - SECURE			
202604922	03/05/2026 13:59:49	MCKINNON DENTAL OFFICE 407 N MAIN ST, MT GILEAD	LOITERING	CLEAR-10-24
Units	705	OCA(s)		
Notes	2 PEOPLE ARE LOITERING AT THE WATER TOWER STEPS. BLACK MALES.			
202604968	03/06/2026 09:29:36	205 S SCHOOL ST, MT GILEAD	911 HANG UP	CLEAR-10-24
Units	704, 706	OCA(s)		
Notes	911 HANG UP - OPEN LINE, TV IN BACKGROUND. PICKING UP ON CALLBACK, NO VOICE CONTACT.			
202605010	03/06/2026 19:19:28	LAUNDROMAT MT GILEAD 105 S SCHOOL ST, MT GILEAD	SICK PERSON (SPECIFIC DIAGNOSIS)	NO ACTION NEEDED-TAKEN
Units	702	OCA(s)		
Notes	FEMALE CAME INTO LAUNDROMAT ADVISING HER MOTHER IS SICK AT AN ADDRESS NEARBY ESLAGLE 03/06/2026 19:20:17 E Age unknown, Female, Consciousness unknown, Breathing status unknown. ESLAGLE 03/06/2026 19:21:00 E Age unknown, Female, Consciousness unknown, Breathing status unknown. Chief Complaint: Sick Person (Specific Diagnosis) Dispatch Level: 26B01 Response: Bravo CADCode: 26B01 ESLAGLE 03/06/2026 19:30:34 E,F,L,R,O 372 ADVISING THE PATIENT MAY BE LOCATED OUT OF STATE JWHITAKER 03/06/2026 19:44:18 E,F,L,R,O 702 adv fm is 10-73, he gave her a 10-59 back to her res at 203 s school st			
202605054	03/07/2026 10:11:08	119 S MAIN ST, MT GILEAD	ALARM (NOT FIRE) RESIDENTIAL	CLEAR-10-24
Units	706	OCA(s)		
Notes	CARPORT/SIDE DOOR BURG ALARM - KEY HOLDER RON KINCAD 9104395964			
202605086	03/07/2026 18:23:59	MT GILEAD PD 123 N MAIN ST, MT GILEAD	CIVIL	REPORT TAKEN
Units	702	OCA(s) 03-26-025		
Notes				
202605138	03/08/2026 04:49:29	203 S SCHOOL ST, MT GILEAD	WELFARE CHECK	CLEAR-10-24
Units	702, 706	OCA(s)		
Notes	son kurt jacobs antagonized her and daughter pulled her hair, occ yesterday, adv she had to run away and hide behind a tree, clr poss 10-73			

CFS #	Date/Time	Location	Call Type	Disposition
202605150	03/08/2026 11:39:25	PRIDE PLUMBING 205 N MAIN ST, MT GILEAD	ALARM (NOT FIRE) COMMERCIAL	CLEAR-10-24
Units 706			OCA(s)	
Notes	BAY DOOR MOTION - KEY HOLDER JIM SHARPE 910-975-1470 REF#2328876			
202605155	03/08/2026 12:14:57	403 W ALLENTON ST, MT GILEAD	ALARM (NOT FIRE) RESIDENTIAL	BUILDING SECURE
Units 706			OCA(s)	
Notes	OFFICE MOTION DETECTOR - KEY HOLDER ALBERT MCCAULEY/CHIP MCCAULEY 9106390324			
202605160	03/08/2026 13:07:47	125 WASHINGTON PARK RD, MT GILEAD	ANIMAL CALL (NOT ATTACKS)	CLEAR-10-24
Units 706			OCA(s)	
Notes				
202605168	03/08/2026 14:11:38	112 ROOSEVELT AVE, MT GILEAD	SUSPICIOUS PERSON/VEH/ACTIVITY	UNABLE TO LOCATE- CONTACT-AREA CHECKED
Units 706			OCA(s)	
Notes	fireman of 26 years wants someone to check 4 wheelers going to the park			
202605198	03/08/2026 19:31:04	503 S WADESBORO BLVD, MT GILEAD	FOLLOWUP INVESTIGATION	CLEAR-10-24
Units 702			OCA(s)	
Notes				
202605310	03/10/2026 09:55:53	607 JULIUS CHAMBERS AVE, MT GILEAD	DOMESTIC	CLEAR-10-24
Units 703			OCA(s)	
Notes	MELVIN ROBERT SLAPPED MS LEAKE BECAUSE HER SON WAS PLAYING WITH HER.			
202605374	03/11/2026 00:54:24	301 CLINTON ST, MT GILEAD	ALARM (NOT FIRE) RESIDENTIAL	BUILDING SECURE
Units 705			OCA(s)	
Notes	calvin rushing res, downstairs motion det zone 6, no contact on prem			
202605411	03/11/2026 15:10:30	232 THOMASVILLE CHURCH RD, MT GILEAD	MAN WITH A GUN	CLEAR-10-24
Units 704, 706			OCA(s)	
Notes	ford escape blue 6 ms in veh blk sub light skin MHUSSEY 03/11/2026 15:12:27 E,F,L,R,O 130 M/A 706 MHUSSEY 03/11/2026 15:12:45 E,F,L,R,O POSS AK - POSS SHOTS FIRED. TLAWING 03/11/2026 15:13:27 E,F,L,R,O pulledl weapon out and are back at church MHUSSEY 03/11/2026 15:15:01 E,F,L,R,O 706 ADV BEHIND BLUE ESCAPE COMING INTO TOWN MHUSSEY 03/11/2026 15:15:07 E,F,L,R,O 706 STOPPING THEM 1 MILE OUT OF TOWN MHUSSEY 03/11/2026 15:15:56 E,F,L,R,O 706 ADV 4 OUT AT GUN PONT TLAWING 03/11/2026 15:16:06 E,F,L,R,O clr adv jessi Calloway MHUSSEY 03/11/2026 15:17:13 E,F,L,R,O 704 ADV OUT WITH 706 MHUSSEY 03/11/2026 15:17:33 E,F,L,R,O			

CFS #	Date/Time	Location	Call Type	Disposition
109 S/WARNER FARM RD MHUSSEY 03/11/2026 15:18:30 E,F,L,R,O 706 ADV X4 DETAINED MHUSSEY 03/11/2026 15:24:01 E,F,L,R,O 706 EMS 18YO FEMALE, GENERAL PAIN TLAWING 03/11/2026 15:40:34 E,F,L,R,O 07DQ00002O.NCICWS.QG.20260311154232. TO: MMC1 -658148 20260311 15:42:32 5BED042281 FROM: NCICWS 20260311 15:42:29 1N012A6F027BB92QG NC062023N NO RECORD MTE761 MHUSSEY 03/11/2026 15:55:53 E,F,L,R,O 07DQ000044.NCICWS.QG.20260311155748. TO: MMC -1449342 20260311 15:57:48 5BED0422A6 FROM: NCICWS 20260311 15:57:47 1N012A6D0385002QG NC062013N NO RECORD AGM651049 TLAWING 03/11/2026 16:06:08 E,F,L,R,O took out "dude" from initial statement wrote by accident due to clr repeating it				
202605479	03/12/2026 07:56:23	6002 PLEASANT VALLEY RD, MT GILEAD	ASSIST MOTORIST	CLEAR-10-24
Units	706	OCA(s)		
Notes	HONDA ACCORD - SIGNAL 1			
202605481	03/12/2026 08:12:24	288 THOMASVILLE CHURCH RD, MT GILEAD	SERVE PAPER	CLEAR-10-24
Units	704, 705	OCA(s)		
Notes	PRORATION TLAWING 03/12/2026 08:40:32 E,F,L,R,O 131 is out on thomasville but 10-8 for calls			
202605486	03/12/2026 09:06:02	S SCHOOL ST \ W HAYWOOD LN	SUSPICIOUS PERSON/VEH/ACTIVITY	CLEAR-10-24
Units	706	OCA(s)		
Notes				
202605489	03/12/2026 09:29:59	209 S WADESBORO BLVD, MT GILEAD	FOLLOWUP INVESTIGATION	CLEAR-10-24
Units	706	OCA(s)		
Notes				
202605502	03/12/2026 11:54:05	C'S - FOOD CENTER 101 JULIUS CHAMBERS AVE, MT GILEAD	WELFARE CHECK	CLEAR-10-24
Units	706	OCA(s)		
Notes	ELDERLY FEMALE, WHITE HONDA ACCORD.			
202605506	03/12/2026 12:38:47	AMERICAN LOCKSTITCH 107 INDUSTRY INFORMATION AVE, MT GILEAD		CLEAR-10-24
Units	706	OCA(s)		
Notes	TLAWING 03/12/2026 12:38:47 E,F,L,R,O 704-213-9998 frank			
202605517	03/12/2026 15:28:12	133 LEWIS ST, MT GILEAD	ABDOMINAL PAINS - PROBLEMS	CLEAR-10-24
Units	706	OCA(s)		

CFS #	Date/Time	Location	Call Type	Disposition
Notes daughter is having severe stomach pain TLAWING 03/12/2026 15:28:34 E 14-year-old, Female, Conscious, Breathing. TLAWING 03/12/2026 15:29:02 E 14-year-old, Female, Conscious, Breathing. Chief Complaint: Abdominal Pain / Problems Dispatch Level: 01A01 Response: Alpha CADCode: 1A01 MHUSSEY 03/12/2026 15:42:36 E,F,L,R,O 372 NO ANSWER X2				
202605589	03/13/2026 11:40:20	3120 PLEASANT VALLEY RD, MT GILEAD	911 HANG UP	CLEAR-10-24
Units 703	OCA(s)			
Notes MAIL KEEPS GOING TO 110 ROOSEVELT STREET.				
202605638	03/13/2026 23:42:35	2768 NC HWY 731 W, MT GILEAD	NOISE VIOLATION	CLEAR-10-24
Units 705	OCA(s)			
Notes LOUD MUSIC IN THE AREA REQ AREA CHECKED. ADV SAME IS COMING INSIDE THE CITY LIMITS				
202605665	03/14/2026 09:23:05	6002 PLEASANT VALLEY RD, MT GILEAD	ASSIST MOTORIST	CLEAR-10-24
Units 703	OCA(s)			
Notes REF TO 10-36 SIG1				
202605679	03/14/2026 12:38:30	S SCHOOL ST \ N SCHOOL ST	INDECENT EXPOSURE	UNABLE TO LOCATE-CONTACT-AREA CHECKED
Units 703	OCA(s)			
Notes WHITE FEMALE NAKED IN THE ROADWAY				
202605680	03/14/2026 12:46:46	203 S SCHOOL ST, MT GILEAD	WELFARE CHECK	CLEAR-10-24
Units 703	OCA(s)			
Notes CHECK ON FEMALE IN YARD RATKINSON 03/14/2026 12:53:15 E,F,L,R,O 703 REQ EMSFOR ABNORMAL BEHAVIOR				
202605682	03/14/2026 13:00:38	201 LOBLOLLY DR, MT GILEAD	LARCENY	REPORT TAKEN
Units 703	OCA(s) 03-26-026			
Notes PACKAGE WAS SUPPOSED TO BE AT THIS ADDRESS, WAS DELIVERED TO THE NEIGHBORS THEY DENY HAVING IT, SUBJ STANDING BY THE PD IN GREY HONDA ACCORD.				
202605688	03/14/2026 13:40:17	201 E SCARBORO ST, MT GILEAD	FOLLOWUP INVESTIGATION	CLEAR-10-24
Units 703	OCA(s)			
Notes				
202605714	03/14/2026 20:40:26	517 S WADESBORO BLVD, MT GILEAD	UNAUTHORIZED USE	CLEAR-10-24
Units 705	OCA(s)			
Notes PERSON SHE KNOWS TOOK HER CAR AND IS SUPPOSE TO BE PICKING UP HER DAUGHTER BUT HASNT RETURNED OR PICKED UP SSIMPSON 03/14/2026 20:42:06 E,F,L,R,O ADV DAUGHTER IS STRANDED IN ALBEMARLE SSIMPSON 03/14/2026 20:44:27 E,F,L,R,O SENT CLR NAME AND NUMBER TO 705				
202605750	03/15/2026 03:46:51	517 S WADESBORO BLVD, MT GILEAD	INFORMATION	MESSAGE DELIVERED
Units 705	OCA(s)			

CFS #	Date/Time	Location	Call Type	Disposition
Notes REQ TO SPEAK TO OFFICER AGAIN IN REF TO TAVRES COVINGTON TAKING HER CAR ADV HE STILL NOT HAS RETURNED IT ADV SSIMPSON 03/15/2026 03:49:40 E,F,L,R,O 705 ADV HE WOULD GIVE SAME ANOTHER CALL. ADV HE STILL HAS P/S FROM PREVIOUS CALL.				
202605752	03/15/2026 03:55:39	432 INGOLD RD, MT GILEAD	SHOTS FIRED	ARREST(s)
Units 705 OCA(s)				
Notes FORD ESCAPE TRAVELING BACK AND FORTH ON INGOLD RD VEHICLE SOUNDS TO BE SHOOTING BSALAZAR 03/15/2026 03:58:48 E,F,L,R,O 120 REQ 705 MUTUAL AID SSIMPSON 03/15/2026 04:12:20 E,F,L,R,O MADE CONTACT W/ CLR. ABOUT TO MAKE CONTACT W/ VEH SSIMPSON 03/15/2026 04:16:23 E,F,L,R,O 705 ADV BLK IN COLOR FORD ESCAPE SSIMPSON 03/15/2026 04:23:39 E,F,L,R,O FIREARM FOUND PER 705 SSIMPSON 03/15/2026 04:32:20 E,F,L,R,O 123 REQ 120 IN REF TO 10-55 SSIMPSON 03/15/2026 04:33:26 E,F,L,R,O 07DU00007V.NCICWS.QG.20260315043524. TO: MMC -1450462 20260315 04:35:24 5BED043ADE FROM: NCICWS 20260315 04:35:24 1N012A6D0385BB2QG NC062013N NO RECORD ITJ008387				
202605771	03/15/2026 11:09:04	201 W SCARBORO ST, MT GILEAD	FOLLOWUP INVESTIGATION	CLEAR-10-24
Units 703 OCA(s)				
Notes				
202605791	03/15/2026 15:23:43	115 EMMALINE ST, MT GILEAD	911 HANG UP	CLEAR-10-24
Units 703 OCA(s)				
Notes 911 ONLY				
202605801	03/15/2026 16:42:00	NC HWY 109 S \ MASKE RD	SHOTS FIRED	UNABLE TO LOCATE- CONTACT-AREA CHECKED
Units 703 OCA(s)				
Notes SOUNDS LIKE AUTOMATIC GUN FIRE IN THE AREA HMATTHEWS 03/15/2026 16:42:55 E,F,L,R,O 703 ADV ALREADY CHECKED AREA OUTSIDE CITY LIMITS				
202605803	03/15/2026 18:21:05	421 NELSON STORE RD, MT GILEAD	DOMESTIC	CLEAR-10-24
Units 705 OCA(s)				
Notes grandchildren arguing 14 19 and 20yo no weapons had drop cords and belts beating each other but they've put them down and its just SSIMPSON 03/15/2026 18:35:25 E,F,L,R,O 705 ADV 122 AND 123 CAN 10-22. ALL PARTIES ARE SEPARATED				
202605826	03/16/2026 00:47:43	BETHEL BAPTIST CHURCH 590 HYDRO RD, MT GILEAD	ALARM (NOT FIRE) COMMERCIAL	BUILDING SECURE
Units 705 OCA(s)				
Notes PASTOR MOTION BURGLAR ALARM SSIMPSON 03/16/2026 00:49:38 E,F,L,R,O 120 REQ 705 MUTUAL AID THIS CALL DUE TO ALL COUNTY UNITS BEING 10-72 @ THE JAIL				
202605828	03/16/2026 04:03:35	100 S MAIN ST, MT GILEAD	ALARM (NOT FIRE) COMMERCIAL	CLEAR-10-24

CFS #	Date/Time	Location	Call Type	Disposition
Units 705			OCA(s)	
<hr/>				
Notes	dark horse and associates, office motion det, no contact, attempting kh			
<hr/>				
Total:	61			

Case Number	Violation Address	Owner or Occupant	Status or Conditions
PUBLIC NUISANCE VIOLATIONS			
PN-25-12	510 Julius Chambers Avenue @ Emaline Street	Leon & Dorsey Turner	very large number of tires openly stored on the property, various forms of debris, and one or more junked/nuisance vehicles. Notice issued with deadline of 01-20-26. Owner requested extension of 90 days. Deadline 04-20-26.
PN-25-13	120 William Street	Richard A Powell & Elizabeth Powell	various forms of junk, debris, boxes, totes, clothing, and other similar items stored in the yard and on the front porch. Notice issued with owner calling to advise that he is evicting the tenant and will clean up after. Follow up visit shows very good progress with minor amounts remaining. Will follow up again soon.
MINIMUM HOUSING			

HC-25-01	500 West Allenton Street	Phillip L Kearns & Mildred M Lassiter (Deceased)	Substandard housing conditions, possible abandoned dwelling. Research was unable to find a valid address for the owners. Hearing notice issued by posting and publication. Hearing conducted on 11-20-25 with no parties in interest in attendance. Findings of Fact and Order issued by posting and publication. Order to Repair or Demolish by 02-24-26. Council action tabled.
HC-25-03	156 Washington Park Road	Carrie J Little	Abandoned and dilapidated housing conditions. Yard completely overgrown. Inspection scheduled for 12-11-25 @ 10:00, with notice issued by First Class mail and posting on the property. Owner did not show for inspection. To be rescheduled with an Administrative Inspection Warrant.
JUNKED/NUISANCE VEHICLE			

TOWN OF MT GILEAD

3/17/2026

MVO-24-01	VL on East Allenton Street	Curtis Speakman	Inspection appointment scheduled for 08-27-24. Received call from owner's attorney. Researching prior documentation from 2020 concerning the matter. Some documentation has been found. Conversation with attorney to schedule site visit seem to be delayed. Pending other enforcement actions.
MVO-24-02	202 East Allenton Street	Curtis Speakman	Inspection appointment scheduled for 08-27-24. Received call from owner's attorney. Researching prior documentation from 2020 concerning the matter. Some documentation has been found. Conversation with attorney to schedule site visit seem to be delayed. Pending other enforcement actions.
MVO-25-02	125 Washington Park Road	Tracey A Lemonds	one or more junked/nuisance vehicles. Notice issued with deadline of 12-03-25. Spoke with the property owner and met on site with the resident. Owner called and is finalizing eviction and will clean up when vacant and renovate the house also.

			multiple junked/nuisance vehicles. Notice issued & we are communicating concerning repairs and demonstration of operational status. In frequent phone contact with the owners as they are ordering parts and repairing the vehicles. Will follow up with inspection soon when operational.
MVO-25-03	100 Highland Avenue	Cynthia Sue Byrd Haithcock and others	
DEVELOPMENT ORDINANCE VIOLATIONS			



MGFD

MOUNT GILEAD FIRE DEPARTMENT
STATION 2

Month: March

Incident Response

Fires – 17

Squad – 13

Total = 30

- Completed Rural Water Haul Training with multiple mutual aid departments.
- Completed Ops-2 Training.
- Mayday training is ongoing at this time.

“Serving Today for Your Tomorrow”

Budget vs Actual (Summary)

Town of Mount Gilead
3/31/2026 3:41:16 PM

Page 1 Of 1

Period Ending 6/30/2026

96 96-ALBERT JOHNSON POCKET PARK						
Description	Budget	Encumbranc	YTD	Variance	Percent	
Revenues						
	115,000	0.00	12,500.00	(102,500.00)	11%	
Revenues Totals:	115,000	0.00	12,500.00	(102,500.00)	11%	
Expenses						
ASSETS	0	0.00	0.00	0.00		
ADMINISTRATION	115,000	0.00	7,500.00	107,500.00	7%	
Expenses Totals:	115,000	0.00	7,500.00	107,500.00	7%	
96 96-ALBERT JOHNSON Totals: POCKET PARK			5,000.00			

Budget vs Actual (Summary)

Town of Mount Gilead
3/31/2026 3:39:59 PM

Page 1 Of 2

Period Ending 6/30/2026

10 GENERAL FUND						
Description	Budget	Encumbranc	YTD	Variance	Percent	
Revenues						
	1,924,522	0.00	1,407,985.62	(516,536.38)	73%	
Revenues Totals:	1,924,522	0.00	1,407,985.62	(516,536.38)	73%	
Expenses						
ADMINISTRATION	302,600	7,519.50	184,269.81	110,810.69	63%	
STREETS AND GROUNDS	184,050	2,214.67	90,700.62	91,134.71	50%	
PLANNING & ZONING	43,000	0.00	18,230.48	24,769.52	42%	
SOLID WASTE	122,000	0.00	79,704.79	42,295.21	65%	
IT INFRASTRUCTURE, TECHNOLOGY, MONITORING	32,000	0.00	19,894.78	12,105.22	62%	
PARKS AND RECREATION	161,000	0.00	95,397.57	65,602.43	59%	
POLICE DEPARTMENT	704,200	3,249.09	438,497.38	262,453.53	63%	
FIRE DEPARTMENT	141,450	1,800.00	43,279.47	96,370.53	32%	
REDEVELOPMENT CORP.	30,750	0.00	7,729.21	23,020.79	25%	
FITNESS CENTER	0	0.00	0.00	0.00		
POWELL BILL	100,000	0.00	1,283.36	98,716.64	1%	
HIGHLAND COMM. CT.GRANT	0	0.00	0.00	0.00		
CEMETERY	5,000	0.00	853.98	4,146.02	17%	
GOVERNING BODY	53,300	520.00	36,877.62	15,902.38	70%	
LIBRARY	18,900	0.00	14,483.96	4,416.04	77%	
DEBT SERVICE	26,272	0.00	0.00	26,272.00		
	0	0.00	0.00	0.00		
Expenses Totals:	1,924,522	15,303.26	1,031,203.03	878,015.71	54%	
10 GENERAL FUND Totals:			376,782.59			

Budget vs Actual (Summary)

Town of Mount Gilead
3/31/2026 3:39:59 PM

Page 2 Of 2

Period Ending 6/30/2026

20 ENTERPRISE FUND						
Description	Budget	Encumbranc	YTD	Variance	Percent	
Revenues						
	1,907,350	0.00	1,653,491.59	(253,858.41)	87%	
Revenues Totals:	1,907,350	0.00	1,653,491.59	(253,858.41)	87%	
Expenses						
ADMINISTRATION	355,398	7,519.50	206,228.44	141,650.06	60%	
WATER OPERATIONS	404,175	8,735.58	274,085.05	121,354.37	70%	
WASTE WATER COLLECTION	497,386	6,053.66	331,144.81	160,187.53	68%	
WASTE WATER PLANT	379,095	5,948.32	218,426.34	154,720.34	59%	
SOLID WASTE	0	0.00	0.00	0.00		
IT INFRASTRUCTURE, TECHNOLOGY, MONITORING	32,000	0.00	19,894.71	12,105.29	62%	
GOVERNING BODY	0	0.00	0.00	0.00		
LIBRARY	0	0.00	0.00	0.00		
	0	0.00	0.00	0.00		
DEBT SERVICE	239,296	0.00	0.00	239,296.00		
	0	0.00	0.00	0.00		
Expenses Totals:	1,907,350	28,257.06	1,049,779.35	829,313.59	57%	
20 ENTERPRISE FUND Totals:			603,712.24			

Budget vs Actual (Summary)

Town of Mount Gilead
 3/31/2026 3:42:14 PM

Period Ending 6/30/2027

71 71-LILLY'S BRIDGE ROAD FORCE MAIN IMP PROJECT

Description	Budget	Encumbranc	YTD	Variance	Percent
Revenues					
	7,880,000	0.00	914,053.26	(6,965,946.74)	12%
Revenues Totals:	7,880,000	0.00	914,053.26	(6,965,946.74)	12%
Expenses					
ADMINISTRATION	7,880,000	0.00	914,053.26	6,965,946.74	12%
Expenses Totals:	7,880,000	0.00	914,053.26	6,965,946.74	12%
71 71-LILLY'S BRIDGE ROAD FORCE MAIN IMP PROJECT Totals:			0.00		

Budget vs Actual (Summary)

Town of Mount Gilead
3/31/2026 3:42:36 PM

Page 1 Of 1

Period Ending 6/30/2026

**24 24-STANBACK PARK DRAINAGE
IMPROVEMENTS PROJECT**

Description	Budget	Encumbranc	YTD	Variance	Percent
Revenues					
	1,807,000	0.00	145,476.00	(1,661,524.00)	8%
Revenues Totals:	1,807,000	0.00	145,476.00	(1,661,524.00)	8%
Expenses					
ADMINISTRATION	1,807,000	0.00	145,480.25	1,661,519.75	8%
Expenses Totals:	1,807,000	0.00	145,480.25	1,661,519.75	8%
24 24-STANBACK PARK DRAINAGE IMPROVEMENTS PROJECT Totals:			(4.25)		

Budget vs Actual (Summary)

Town of Mount Gilead
 3/31/2026 3:41:47 PM

Period Ending 6/30/2026

87 87-STORMWATER AIA						
Description	Budget	Encumbranc	YTD	Variance	Percent	
Revenues						
	350,000	0.00	336,650.00	(13,350.00)	96%	
Revenues Totals:	350,000	0.00	336,650.00	(13,350.00)	96%	
Expenses						
ADMINISTRATION	350,000	0.00	336,650.00	13,350.00	96%	
Expenses Totals:	350,000	0.00	336,650.00	13,350.00	96%	
87 87-STORMWATER AIA Totals:			0.00			

Budget vs Actual (Summary)

Town of Mount Gilead
 3/31/2026 3:40:46 PM

Period Ending 6/30/2026

97 97-STRAP						
Description	Budget	Encumbranc	YTD	Variance	Percent	
Revenues						
	85,000	0.00	0.00	(85,000.00)		
Revenues Totals:	85,000	0.00	0.00	(85,000.00)		
Expenses						
ASSETS	85,000	0.00	0.00	85,000.00		
Expenses Totals:	85,000	0.00	0.00	85,000.00		
97 97-STRAP Totals:			0.00			

Meeting Date: 4/7/2026	Agenda Item Number: III. A.
Submitted By: Barrett Brown	Department: Administration
Attachments: Public Comments	
Topic: Reading of Rules for Public Comment	

Staff Summary: It is the practice of the Town Board that the Rules for Public Comment be read aloud prior to the opening of the Public Comment period.

Direct Cost:	Line Item Utilized:
Amount Remaining after Action:	In Current Budget:
Plans if Not in Current Budget:	

Staff Recommendation:

Examples of Motions:

TOWN OF MOUNT GILEAD

Post Office Box 325
110 West Allenton Street
Mount Gilead, North Carolina 27306
Incorporated 1899
Phone (910) 439-5111 – Fax (910) 439-1336

Mayor
Sheldon Morley

Mayor Pro Tem
Tim McAuley

Commissioners
Vera Richardson
Paula Covington
Mary Lucas

Town Manager
Barrett Brown

Town Clerk
Lessie Jackson

Rules for Public Comment

Meeting of the Town Board of Mount Gilead always include a Public Comment period. The purpose of this time is for members of the community and the general public to make their views known directly to the Town Board. To ensure a fair proceeding for all who wish to speak, please be aware of the following rules that were unanimously adopted in December 2016, that will be observed during all public meetings:

1. All persons wishing to speak shall do so from the podium to ensure an accurate record of testimony. Each person requesting to speak shall do so by signing their name, phone number on the Public Comment sign up sheet and must provide a phone number, address, and/or email address in order. No one is permitted to speak from the audience or interact and/or question the person speaking. This is a public comment session and not a public debate. Open Meetings laws for the State of North Carolina, section 197, pg. 87., and section 239, pg. 105, agree that a Mayor nor the Board of Commissioners are allowed to respond to public comment or debate with a citizen during this time. If a response is necessary, a separate meeting can be called to discuss the issue at hand or if the answer is readily available it will be answered during Department Reports by the Town Manager.
2. Each person who has signed up to speak shall have one opportunity to speak for a period not to exceed 3 minutes in duration. The speaker will not be permitted to speak again once they leave the podium, or their 3 minutes expire.
3. The Board requests that a group be represented by a spokesperson in order to keep repetitive testimony at a minimum. If this spokesperson is representing a group of more than 5 citizens, he/she is afforded the opportunity to speak for a period not to exceed 5 minutes.
4. Town staff will note all comments and provide answers directly to citizens or make information available town-wide during department reports or at the next meeting.
5. Inflammatory or immaterial testimony will not be allowed.
6. In addition to the comment period during the public meeting, individuals can provide written comments to the Town Board of Commissioners by submitting them in writing to the Town Clerk. This can be addressed by email to clerk@mtgileadnc.com or via USPS at PO Box 325, Mt. Gilead, NC 27306.